



RIGHT PLACE, RIGHT TIME
BETTER TRANSFERS OF CARE:
A CALL TO ACTION

'Doing the obvious thing is the radical thing'



Rt Hon Paul Burstow
Former care minister and chair,
Tavistock and Portman NHS
Foundation Trust



Saffron Cordery
director of policy and strategy
NHS Providers

FOREWORD

If you read this report in search of someone to blame for delayed transfers of care (DToC), look elsewhere. That is not what this report is about.

Nor does this report offer a single simplistic magic bullet solution. Delays are a symptom of mounting pressures and unnecessary waits at all points in the urgent and emergency care pathway, not just at the point of discharge.

The consequences can be life changing for the person on the receiving end. Time is muscle; in as little as 12 hours an older person admitted to hospital as an emergency can lose the ability and confidence to stand unaided. Poorly managed transfers of care harm people. They can mark the end of a life in your own home.

DToC is not just an issue affecting older people in acute hospitals. Often out of sight and poorly understood are the delays and out of area treatment of people experiencing a mental health crisis. Poorly managed transfers in mental health can hamper and sometimes prevent a recovery.

Last winter breaches of the four hour wait in A&E and rising numbers of DToC led to a special cabinet committee being convened to 'manage' the pressures. Health and social care leaders were hauled over the coals.

In response to the experience of last winter and the growing challenges in mental health NHS Providers decided to convene a commission of experts from across health and social care to undertake a rapid review of the evidence and identify practical steps that NHS organisations and their partners can take. The *Right place, right time* commission was set up for this purpose.

Trusts do not exist in isolation; they are part of a complex ecology of services, human expectations and interactions. Recognising this the commission membership includes local government, social care, housing and voluntary and community sector perspectives.

Much has been said on the subject of DToC in acute hospitals, much less in mental health. Despite the guidance and countless case studies of good practice there is a gap between what we know and what we do.

This report tries to bridge that gap. It offers a common sense, jargon free account of the evidence and how to translate it into local action. Some may say it is a statement of the blindingly obvious. Sometimes doing the obvious thing is the radical thing to do.

In the end this report boils down to three calls to action. These calls to action are addressed to every part of the health and care system.

First, start with the person (the patient or service user). They are your common cause.

Second, ask yourself how do we help this person get back to where they want to be?

Third, agree what the data tells you. A shared understanding of the numbers can help with tracking down the root causes.

No one working in the NHS or social care sets out to do harm. Having seen first hand the day to day pressures on a hospital ward what was most striking was the importance of these three calls to action in both professional practice and system design.

As well as offering practical actions for providers, commissions and local authorities, we also challenge national system leaders with messages we have heard from the front line. Above all tackling delays in transfers of care requires common purpose centred on the person passing through the urgent and emergency care system in acute and mental health settings. Local collaboration is vital. That needs to be modelled nationally too.

Finally, we would like to thank everyone who has contributed their time to the commission's work over the past four months.

METHODOLOGY

The *Right place, right time* commission was launched by NHS Providers to capture good practice with regard to transfers of care in all settings – across acute, community, mental health and ambulance services.

The *Right place, right time* commission conducted a literature review of existing evidence and materials exploring the issues surrounding transfers of care: NHS Providers' *Right place, right time* commission into transfers of care: literature review, 10 November 2015. This can be found in the "health horizons" section of the NHS Providers website.


The Commission received over 50 written submissions, conducted site visits and interviewed experts in health and social care, from national statutory bodies, to improvement experts and frontline managers and clinicians.

The Commission was led by Professor Paul Burstow, former care minister and chair of Tavistock and Portman NHS Foundation Trust.

The members of the commission are:

- Rt Hon Paul Burstow, former care minister (chair) and chair, Tavistock and Portman NHS Foundation Trust
- Stuart Bell CBE, chief executive, Oxford Health NHS Foundation Trust
- Helen Birtwhistle, director of external affairs, NHS Confederation
- Saffron Cordery, director of policy and strategy, NHS Providers
- David McCullough, chief executive, Royal Voluntary Service
- Sarah Mitchell, director of towards excellence in adult social care (TEASC), Local Government Association
- David Orr, chief executive, National Housing Federation
- David Pearson, president, Association of Directors of Adult Social Services (ADASS) and corporate director, Adult Social Care, Health and Public Protection, Nottinghamshire County Council
- Ian Philp, deputy medical director for older people's care, Heart of England NHS Foundation Trust

The commission was supported by Miriam Deakin and Martha Everett at NHS Providers.



INTRODUCTION

This report does not seek to find someone to blame for delays in transfers of care. That is not its aim. Rather, it is a call to action to everyone in the health and social care system: commissioners and providers, physical and mental health, national and local organisations. There is no blueprint to fix delayed transfers of care. However we have created a toolbox of practical ways to understand the root causes and build the partnerships needed to tackle them.

Hospitals and mental health providers sit within a wider ecology of the health and social care system and the interplay between people's circumstances, for example, their housing, their family and community and the social support they have. To reduce delays managers and clinicians must work with partners to manage these interplays within the system as a whole. To find solutions we need to start with the patient experience, in order to design pathways that fit more closely around the needs and lives of patients and service users.

Delayed transfers of care (DToc) can harm patients and create massive increased and avoidable costs for both the NHS and social services, as well as the wider public sector. Much serious avoidable harm to patients, such as hospital acquired infection and injurious falls, occurs when patients are experiencing a delayed transfer of care to their own home or a post-acute setting.

Unplanned delays can also have a catastrophic impact on a person's pre-admission functional ability. In a mental health setting extended length of stay can lead to deconditioning, functional relapse and a loss of confidence. In an acute setting, at its most basic, time is muscle; older people can lose significant muscle power in as little as half a day in hospital. This can be the difference between being able to stand unaided and having the confidence to return to independent living, and remaining dependent.

DToc is often seen as a simple equation: delays equal longer waits in A&E as the hospital fills up. This is a gross over simplification, which can misdirect efforts to address delays in transfer of care.

The long-term trend in delayed transfers of care had been a reducing one but over recent years it has started to increase again. There were 145,100 total delayed days in August 2015, up from 137,600 last year¹. According to a recent audit of acute care of older people by NHS Benchmarking, five per cent of stays in hospital of 21 days or more account for a staggering 41 per cent of total bed days². In that finding alone is a very big pointer to understanding why so many of our hospitals and the wider system hit gridlock.

All NHS trusts face the challenge of ensuring timely patient discharge and managing the 'flow' of patients through their organisations. An increase in patients with high acuity and complex needs has piled on the pressure, with rising admissions, and more complex discharges. Historically in the NHS, the winter heralds an increase in pressure which then levels off in the summer months. Worryingly, figures for delayed transfers of care during the spring and summer of this year show that the delays have not gone away. Winter is coming, and a perfect storm is brewing. Hospitals are struggling financially and greatly increased capacity is often simply not an option. There are real concerns that another NHS bed crisis is just around the corner.

The situation looks bleak, but there is cause for hope. In some areas commissioners and providers are managing these pressures better than others. There are examples of excellent innovation across the country. This progress, nevertheless, remains patchy, with many trusts struggling to identify solutions to increased demand.

The *Right place, right time* commission has analysed and explored the issues involved in improving transfers of care. The commission has produced a literature review to distil the bewildering number of publications in this area. In addition, we have undertaken field research with frontline professionals to identify practical methods to improve the flow of patients through the hospital and speed up transfers of care.

The commission has explored delayed transfers of care within the mental health sector and between mental health and physical health providers. The two sectors can learn much from each other and need to work more effectively together: acute and emergency care can learn lessons from mental health on ambulatory and home based care; many of the issues facing acute providers are highly relevant for mental health providers as well, including lessons from best practice in patient flow.

Services need to plan ahead across their whole populations and proactively manage those patients most at risk of admission, seeking to maintain people's independence and protect them from the risk of hospital or inpatient admission. Commissioners, managers and the frontline must engage with other types of providers in their area, from social care, general practice, community services and the independent and third sectors. More open and honest conversations must be had between staff and with patients and their families. This must not be about blame. The imperative now is to address the barriers in the system that are causing delays.

As we embarked upon this commission the new models of care 'vanguards' established as a result of the *Five year forward view* were in the process of being selected. Our work has come too early to learn lessons from their approaches.

This report summarises the research, explores case studies of best practice in managing transfers of care and draws on lessons from what works from the frontline.

In it we:

- set out messages for national organisations;
- provide an analysis of the cause and impact of delays;
- set out a series of calls to action for all players in the system;
- focus on mental health;
- explore what works;
- give a thematic overview of good practice already taking place.

MESSAGES FOR NATIONAL ORGANISATIONS

There is no single simple solution to delayed transfers of care. Health and social care managers and clinical leaders at every level need to adopt tried and tested methods to diagnose the root causes of delays in their area. They also need to be willing to expose unwarranted variations in the results achieved between and, critically, within organisations.

Effort needs to be invested in agreeing that maintaining and restoring people's wellbeing and independence is a shared purpose of everyone who works in the system. Mobilising action around the individual and their personal physical and psychological recovery should be the touchstone of both redesigning systems and managing flow through them.

But effective change requires national system leaders to act differently too. Put simply, there needs to be less stick and more support.

Messages for the Department of Health

Planning for demand

This report describes a range of ways in which NHS providers can improve efficiency and patient 'flow' throughout their organisations. Nevertheless, there is a limit to the impact that improved productivity will have on delayed transfers of care. As Monitor's recent report³ concluded: 'Most A&E departments are working at a very high level of activity. There is a limit to the workload staff can undertake in the absence of additional staff and/or new capital spending without it having negative consequences on morale, recruitment and retention, performance and/or patient safety'. At the highest level the **Department of Health must set the framework to ensure that NHS capacity meets the level of demand in future years.**

Social care

The fragility of the social care sector, and in particular domiciliary care, must be addressed before services reach crisis point. Further financial savings required from local authorities in the next three years will increase the risk of provider failure. In addition, it will be necessary to tackle the mismatch of the current care home offer to meet the presenting need, for example, the reluctance of some independent nursing and residential care providers to assess and admit patients at weekends and on Bank Holidays. **The Department of Health must assess the costs of a sustainable social care market including implementation of the national living wage.**

Health and Wellbeing Boards

Poor relationships between commissioners and providers in local health and care economies can be a cause of delays and problems with transfers of care. The Health and Wellbeing Board has a key role to play in ensuring that all local partners make decisions jointly.

The Department of Health should look to further strengthen Health and Wellbeing Boards to promote their role and encourage joined up commissioning.

Health and Wellbeing Boards should be charged with 'holding the ring' on patient flow, establishing the governance necessary to support real time decision-making and strategic oversight. This will require providers to be fully engaged with other partners.

Where Health and Wellbeing Boards either lack the necessary relational maturity or there is a lack of appetite to invest in them there remains a need for many of the same key actors to work together to put in place good governance arrangements. The Department should reinforce its support programme for **Health and Wellbeing Boards by reviewing its policy and promoting the role in oversight and local systems leadership.**

Shared care records

Communication between different providers is crucial in providing integrated care for patients and preventing DToCs. The Department of Health must continue to spearhead the introduction of shared care records, as the current difficulties many providers experience sharing records is limiting their ability to join up care. Information governance arrangements should support information sharing as the norm, rather than by exception.

Housing

The availability of appropriate housing support is clearly a factor in a significant number of DToCs. This is a particular issue in mental health. There is a shortage of the specialist housing which can prevent people needing acute services. The Department of Health, and all policy makers, should factor this into their decision making..

NHS Continuing Healthcare

Another area for national policy focus is Continuing Healthcare (CHC) assessments, which came up repeatedly in our research. Decision-making was felt to be too slow, often conducted in the wrong setting and highly contested by families. According to NHS Benchmarking the length of time for a CHC assessment varies from two days to 43 days across the NHS and averages 11.9 days.

Research by Healthwatch England⁴ has found that: 'the system for accessing Continuing Healthcare [...] is 'shrouded in mystery and disarray', leaving thousands of ill people with no choice but to pay for care [...] There is huge variation in the way assessments are undertaken and decisions on eligibility for NHS Continuing Care are made, both in terms of process and criteria used, in different parts of the country'.

University College Hospital NHS Foundation Trust appointed a specialist nurse to handle the filling in of the 72 page Continuing Healthcare form to reduce the processing time to 24 hours. This had previously caused huge delays in patient flow. However the trust told us that the Clinical Commissioning Group's review process slows decision making as it does not operate at the same pace as the trust. It can also take a long time to arrange the specialist care required as a result of a positive CHC assessment. **The Department of Health should produce further guidance for trusts and CCGs in order to speed up the process of Continuing Healthcare assessments, including these assessments in arrangements for assess to discharge.**

Messages for NHS England

Local government and the third sector

NHS England should encourage commissioners to collaborate with local authorities and understand the capacity of the independent and voluntary sector in their health economies, and make the most of these services to meet the needs of their local population. The independent and voluntary sectors should be represented in local and national resilience planning along with all other relevant parties.

Use of technology

In particular, in many areas there has been poor adoption of telehealth and telecare services to enable preventative care, avoid admissions and support transfers of care.

NHS England should work with technology providers to facilitate a better understanding and dialogue with commissioners.

Housing

More needs to be done to ensure that housing providers are considered key partners in the process of developing care closer to home. NHS England, and all policy makers, should factor this into their decision making.

A new approach to data collection and reporting of DToC in acute and mental health settings

A number of studies have noted that the data that is currently collected for delayed discharges and transfers of care either under- or over-estimates the actual incidence of delays. New guidance has been issued by NHS England that improves the definitions of what constitutes a DToC in physical health services and how they should be counted and recorded. There is still, however, confusion and variation in how delays are counted, recorded and signed off. **NHS England needs to make clear that health and social care delays should be counted using the same notification process and timescales.**

Definitions of DToC and OATs

There remains an urgent need for **NHS England to agree and issue clear definitions for DToC and Out of Area Treatments (OATs) in mental health settings**. The absence of clear definitions and clarity around what is counted makes meaningful comparison impossible and weakens efforts to identify and share best practice. Currently, two measures are used: a census of patients delayed taken on the last Thursday of each month (number of patients delayed), and a total of all days that patients were delayed in the month, including those not counted in the census (total days delayed). It would be useful to have a record of the number of delayed days for each patient across the whole month, which is likely already to be collected locally. This could be used for regional benchmarking and to identify best practice. Additionally, more information on the characteristics of those patients who experience delays, such as age and details of conditions and bed type, would help identify where there is unmet need in both physical and mental health.

Messages for NHS Improvement (Monitor and the TDA)

Data capacity

There is a shortage of data analytic and process engineering capacity to support diagnostics and redesign. As Monitor and TDA come together to form NHS Improvement they should **work with trusts and their representative bodies to build and source this capacity to support service improvement**.

Payment mechanisms

National payment mechanisms need to enable a coordinated, system-wide approach to improving transfers of care. Payment systems need to catch up with and support service innovation and investment in home-based ambulatory care and multi-agency, multi disciplinary teams. In particular we need to see an end to block contract payments in mental health and other settings.

Housing and NHS estates

Housing related support services are in crisis with funding for support services cut by around 45 per cent over the last few years⁵. **NHS Improvement should work with NHS England to ensure that NHS land and estates can be used effectively in partnership with housing providers to develop innovative supported housing provision**. The approach to using NHS land should consider best value in terms of the outcomes the project delivers, not just for the highest price. This can enable NHS trusts to lease out land to housing providers, for example, who can deliver particular schemes to improve people's health while delivering a financial return for the trust.

Messages for Health Education England

Staff shortages

Our research and visits highlighted concerns about a number of staff shortages causing delays in the discharge process, and in particular, shortages of occupational therapists and other Allied Health Professionals delaying assessments. Care providers and NHS trusts were struggling to recruit and retain qualified nurses and these problems were set to intensify as the economy picks up. **Health Education England should ensure these concerns are taken into account in planning for future workforce provision**.

Skills mix and developing transferrable skills

There is a need to develop transferrable skills across professional groups and care workers currently involved in managing patients across pathways in care, while training and recruitment to additional roles is undertaken. This also needs to consider the skill mix required for the activities actually being undertaken, for example, in some areas up to half of the caseload of community nurses could be undertaken by care workers or by service users themselves, which would free up capacity. **Health Education England should consider how it can assess and meet the skill mix demand in the short to medium term**.

Messages for Communities and Local Government and the Local Government Association

Capacity mapping

Local authorities should be taking the lead in capacity mapping of their local health and care economy, including the independent sector, to support discharge planning and escalation planning. **CLG and the LGA should ensure local authorities are enabled to learn from the best practice across the country in providing preventative approaches to social care commissioning, and integrated programmes to improve transfers of care.**

Support for a new payment system

A new payment system is needed to ensure that support services out of hospital receive the investment needed to prevent avoidable admissions and ensure safe discharge. These services help people to stay independent and healthy, and prevent them needing acute services.

An asset based approach

A more integrated, asset-based approach to delivering support services would ensure better focus on shared outcomes and more sustainable service delivery.

Greater use should be made of third sector organisations for asset-based community development, including developing information/advice and care navigation services.

Wider investment, including in housing

A local Transformation Fund should be established to support the investment necessary to implement new models of care that integrate services and drive community based approaches to health and social care.

For example, this could include housing-based solutions, which offer preventative support in people's homes or help facilitate hospital discharge. Investment should seek to build on transferrable best practice models, established through the national Vanguard projects for innovation in care. In addition, continued capital investment in specialist housing – currently provided through the Care and Support Specialist Housing fund (CASSH) would further support these solutions.

A CALL TO ACTION

Based on the evidence documented in this report the commission believe there is a compelling need for local action. Across health and social care commissioners and providers should work together to identify the root causes of delayed transfers of care and act to ensure people receive the right care in the right place at the right time.

Calls to action	Providers	Local Councils	Clinical commissioning groups	Health and wellbeing boards
Test your assumptions about root causes of poor and delayed transfers of care. Accept that tackling delayed transfers of care is a system problem and not simply the responsibility of the local trust.	✓	✓	✓	✓
Understand the needs of your local population. Successful organisations are focused on understanding population health, and adopting and making better use of risk stratification tools in order to plan effectively the services to meet those needs.	✓	✓	✓	✓
Ensure that people in your area who are at risk of admission into hospital, for example older people, those with mental health problems, or homeless people, are supported with proactive, integrated and preventative services. This should include appropriate therapies, rehabilitation, re-ablement and intermediate care. This provision should be available before admission and upon discharge to prevent readmission.	✓	✓	✓	
Listen to your staff. They will know where the bottlenecks occur. It is vital to fully involve the whole staff team in the process of change.	✓	✓		
Listen to your patients, service users and carers. Case notes, Friends and Family Test scores and conversations with patients and their relatives are all key pieces of the puzzle to help understand where delays occur and identify what needs to change.	✓	✓	✓	✓
Inform and involve patients, service users and families in decisions about transfers of care.	✓	✓	✓	
Gather and interrogate the data you have. Benchmark performance against other providers and within the provider down to team and individual decision-maker level.	✓	✓	✓	
Build your capacity to undertake process engineering and analytics. Seek external help, for example from local academic institutions.	✓	✓	✓	

Retain focus once changes have been implemented to ensure sustainability.				
Work together to tackle the problem. Establish effective face-to-face meetings.				
Involve the local independent, voluntary and community sectors in local planning and accountability arrangements.				
Ensure providers in your area are able to share records about patients and service users transferring between them, while maintaining safeguards and appropriate levels of consent.				
Consider making senior clinical decision makers available at the hospital 'front door' to prevent unnecessary admissions. This can include primary and social care staff.				
Prevent unnecessary medicalisation and ensure everyone in the trust is focused on helping older people maintain and recover their independence and mobility.				
Conduct full assessments of functional ability upon admission , and set an evidence-based estimated date of discharge.				
Ensure staff discharging patients are aware that it is not their role to duplicate or second guess decisions about the most appropriate support arrangements in the community .				
Talk to your local NHS providers to ensure that they are confident that social workers understand the full menu of community based services to support discharge .				
Acute and mental health providers to ensure an integrated and seamless approach to people's social, mental and physical health needs.				
Recognise that delayed transfers of care are not just a problem in physical health. Mental health patients are often delayed inappropriately in inpatient settings. Commissioners need to tackle this issue and ensure the right mix of capacity in their community to provide ongoing support and avoid out of area placement.				
Explore how technology can help people in your community retain their independence				
Work with ambulance providers to develop a mobile urgent treatment service capable of dealing with more people at scene and avoiding unnecessary journeys to hospital.				

Explore better use of your community workforce ; in particular how community nurse services can be further integrated with primary and social care provision. Consider how care navigators could help patients understand and access care services in the community.		✓	✓	
Consider the introduction of a 'Discharge to Assess' model if this service is not already being provided in your area with the aim of promoting people's wellbeing and independence.	✓	✓	✓	
Consider increased provision of supported living environments e.g. assisted living, residential care.		✓	✓	✓

DELAYS ARE PREVENTABLE

No hospital or trust is an island. It is part of a complex ecology of health and social care organisations, all interacting with and interdependent on each other. Patients do not always register the boundaries between these bodies, but all too often the delays they experience are as a result of the barriers that prevent these organisations working effectively as one system.

Delayed transfers of care are a serious problem for the NHS. But much more can and should be done to prevent these delays from occurring. According to research conducted for the Local Government Association by Newton Europe, one in nine emergency patients in hospital could be at home with support, or in a bed outside of hospital.

The research found that one in six A&E visits and admissions are preventable by better use of GP, community, social care and third sector services. It cites case studies such as a woman calling an ambulance due to back pain as a result of being unable to collect pain medication from her GP. Similarly, research by Oak Group International found that nearly half of patients (48 per cent) in the hospital they studied could have been treated at home with GP follow-up or other community services.

According to the CQC, the number of people aged over 65 admitted as an emergency with 'avoidable' conditions increased by over 40 per cent between 2007/8 and 2012/13. Another study revealed that 87 per cent of children and young people attending accident and emergency could be better treated in primary and community care.⁶

WHY DELAYS OCCUR

If many of these delays can be prevented, what is causing them? The answer is a complex range of issues both within hospitals and in the wider health and social care system.

The latest statistics tell us that:

- 61.9 per cent of all delays in August 2015 were attributable to the NHS, 30.8 per cent were attributable to social care and the remaining 7.3 per cent were attributable to both the NHS and social care.
- The proportion of delays attributable to social care has increased over the last year to 30.8 per cent in August 2015, compared to 26.8 per cent in August 2014.
- The main reason for NHS delays in August 2015 was “patients awaiting further non-acute NHS care”.
- The main reason for social care delays in August 2015 was “patients awaiting care package in their own home”.

The background to this issue is that demand for all types of NHS care is rising while funding for services remains flat. As one hospital manager we spoke to commented:



This level of inpatient demand[...] means] emergency admissions to the [...] hospital will exceed the total trust bed capacity in 2018/19.

On another visit we heard:



The pressure is unremitting – any loss of focus on patient flow can see us sliding backwards... There is a risk that assessment wards turn into wards. There is a real tension around this.

So how are providers dealing with this pressure? Research by Monitor has found that hospitals may have slightly improved the efficiency of their inpatient departments in recent years. They found average length of stay had reduced slightly (by 2.9 per cent). However, this improvement did not go far enough to allow hospitals to accommodate the increase in emergency admissions in the third quarter of 2014/15. The report concluded that:



The resulting disparity between the demand for and supply of capacity drives the higher levels of bed occupancy and in turn the decline in A&E waiting times performance⁷.

It is not just that the number of patients is rising. There is a growing number of frail, elderly patients with particularly complex needs. This is a problem facing countries across the world⁸ and is present both for the patients presenting in hospital but also those living in care homes or receiving care in their own homes. Dementia, frailty and complex co-morbidity are now the norm amongst people in care homes. And yet the way we organise services has not kept pace with this change. At the heart of the problem is the lack of integration between the NHS and care services. For example, it is often difficult for care home providers to ensure the right level of primary health care in the social care environment.⁹ There are also problems caused by poor communication between trusts and care homes when patients are transferred between them.



The NHS does not stop at the door of the care home

Andrea Sutcliffe, chief inspector of social care, Care Quality Commission.

Another concern we heard in our research was workforce recruitment and retention. This is true for all levels, from health care assistants to senior nurses and emergency department consultants. In particular, providers are experiencing growing difficulties in recruiting qualified nurses. Care homes and health providers are fishing in the same limited pool for staff. Low pay for care home staff due to stretched social care budgets is another clear concern.

Domiciliary care providers operating in the local authority funded market are being crushed between the twin pressures of cash strapped councils squeezing fees and the prospect of paying the new higher national living wage out of those fees. Attracting and retaining care staff is a struggle for care providers: the work is poorly paid, hard, and often undervalued and the competition for the workforce can be intense. If fully funded, the new national living wage¹⁰ might help. But if other supermarket chains follow Lidl's decision¹¹ to pay the full Living Wage¹², the pressures on care sector recruitment and retention will grow.

There is a wider issue of capacity in the care sector at a time of limited public spending. A rising number of delayed transfers of care are caused by delays in sourcing a care package in a patient's own home and the domiciliary care market is clearly struggling. Similarly many residential care home providers are at risk of shutting up shop and abandoning the challenge of trying to cover rising costs with dwindling investment in care.

Monitor's research found 60 per cent of trusts stated that DToC had increased due to reductions in social care capacity; 45 per cent due to reductions in social care funding packages; 55 per cent due to reductions in domiciliary care provided by community providers; and 46 per cent due to reductions in step-down/ rehabilitation capacity in the community. Monitor is clear that it is unable to quantify the impact of reductions in social care capacity on delayed transfers of care, but this response from trusts shows that it is a major concern.

In some cases, it is not the capacity of social care services, but the availability of staff to assess patients for social care packages that is limited. As the Care Act 2014 is implemented, this pressure is likely to increase and must be addressed to avoid further delays manifesting in social care assessment processes.

Sometimes delays are simply a matter of organisation within the hospital itself. One example is getting the right medication quickly so that someone can go home early in the day. When staff on wards and in the pharmacy are rushed off their feet, even simple tasks can take hours:

”

The doctor came at 9.30 a.m. and said that I could go home but needed medication and would have to wait for that. At 12.45 I was still there waiting and apparently all I needed was some paracetamol.

Jim, local Healthwatch, East of England

”

Discharge depends on medication being sent to the ward from [the] dispensary and [a] nurse writing the discharge letter. This can take hours.¹³

THE IMPACT OF DELAYS

“Albert is a Parkinson’s patient who didn’t get the right support in hospital while waiting for assessment, and for intermediate care. His medication was not given on time and the limited physiotherapy he received while in hospital was inadequate. Health staff did not seem to realise the importance of administering Parkinson’s medication at specified times and the direct impact this can have on mobility if medication times are not adhered to. He was kept in hospital waiting for assessment and then for a place in a rehabilitation unit... During the hospital stay his physical health had deteriorated to a point beyond repair. Albert has now been moved into a care home, where his health has continued to go down-hill, to the extent he cannot walk at all now. Albert did not qualify for NHS continuing care and all of his savings have now been spent on care home costs.”¹⁴

Sadly Albert’s story is not unusual. Thousands of patients experience such delays every year, with tragic consequences for their health and future independence. Every day that a patient is stuck unnecessarily in hospital can have a serious impact on their physical and mental health, increasing their dependency. A length of stay in hospital of just one week is associated with a ten per cent decline in muscle strength.¹⁵

Healthwatch England recently undertook research to understand patients’ experience of delays. The resultant report makes powerful reading:

“Hundreds of people told us about their experiences of delayed discharge, sometimes waiting all day for medication or transport. We heard that for older people with conditions such as dementia, hearing or sight loss, having to wait for hours in a discharge lounge, with little or no information, can be particularly distressing and disorientating¹⁶.”

It is not just the individual harm. The knock-on effects are felt across the organisation. There are higher bed occupancy rates, with patients shunted between wards, at serious risk of an error in their care or of acquiring an infection. Lack of bed availability prevents patients being admitted from A&E departments, leading to longer trolley waits.

Research by Monitor into the reasons trusts have been unable to meet the A&E four hour waiting time target in winter 2014/15 found that: “The real bottleneck occurred when it came to finding beds for patients being admitted from A&E. Inpatient wards lacked capacity and became blocked up. This had a significant impact on the exit flow from A&E departments themselves, which in turn had an adverse impact on the ability of staff in A&E to care for their patients.” The report concluded that “measures taken by hospitals and urgent care systems to improve patient flow through hospital departments other than A&E and back into the community may be highly effective in avoiding another sharp decline in A&E performance against the four-hour target this winter”¹⁷.

According to the Royal College of Emergency Medicine, patients being delayed in A&E because of problems elsewhere in the hospital leads to about 13 preventable deaths per year in a department seeing 50,000 patients. Time critical interventions are delayed, for example less frequent and inadequate pain relief and delayed antibiotic administration¹⁸. Such delays also increase the number of cancelled operations, wasting surgical capacity¹⁹.

The Care Quality Commission has highlighted delayed transfers of care was a common factor in providers that performed poorly in its inspections in 2014/15: “the trusts which we rated as inadequate typically demonstrated poor patient flow, inappropriate admissions and delayed discharges, as well as weak relationships with external stakeholders”²⁰.

The impact of delays can often be felt outside the hospital itself. Overcrowded emergency departments mean that ambulances get delayed and ambulance response times rise. In January 2015, instances of ambulances queuing outside A&E departments were almost double that for the same period of the previous year²¹.

Impact on staff morale

The severe impact of delays on patient care has in its turn a massive impact on staff morale, particularly in high-pressured A&E departments. This creates a vicious circle as staff take sick leave, retire early or emigrate to other English-speaking countries like Australia, New Zealand and Canada. Hospitals end up using more and more agency staff, leading to rising costs and further affecting continuity of care and staff morale:

The majority of nurses who work in the Emergency Department work there because we like the pace, the unpredictability of each day and the wide variation in the conditions that patients present with. Once the department becomes overcrowded we start to lose the ability to deliver those standards. Instead of providing our patients with dignified, individualised and personal care, we can only give the minimum standard to keep patients safe. In many cases we feel that we can't even provide this. Despite giving 100 per cent, staff go home feeling frustrated, angry and defeated by the daily pressures put on them. There is a general feeling that the Emergency Department is the "Cinderella service" and, especially for those who have worked there a long time, that it is hard to see how things will change. It is very difficult to see frail elderly patients nursed for hours on trolleys in public areas whilst our inability to meet even the most basic of needs is becoming increasingly difficult to bear.

Emergency Department Nurse (abridged)²²

Understanding and tackling the causes of delayed transfers of care, both within and beyond the front and back doors of the hospital can make a significant difference to the pressure on staff.

The financial costs

There is not just a moral obligation to tackle this issue for the benefit of patients, which is the core driving principle throughout health and social care services - there is a strong economic argument too. In 2012, the King's Fund estimated that DToCs cost the NHS approximately £200m each year²³. That is an extra cost of more than £550,000 per day, the equivalent of treating 60,000 patients²⁴.

In June 2014, Age UK released an estimate that in four years, the NHS had lost almost two million bed days due to patients waiting for a social care assessment, care home place, care package or adaptations to their own home, at a cost to the system of up to £526 million, the equivalent of £1.4m every day, £60,000 every hour, or £1,000 every minute²⁵.

It is not only delays in the discharge process which can be expensive. Poorly planned discharges without appropriate follow-up support can lead to emergency readmissions. In 2012-13 there were more than one million emergency readmissions within 30 days of discharge, costing an estimated £2.4 billion²⁶.

There is strong evidence that these costs can be reduced. Lord Carter's interim report into provider productivity identifies how improving work flow could bring substantial savings to the NHS of up to £2 billion²⁷.

Premature transfers of care

Delays are a symptom of a wider problem of transfers of care being poorly managed. Sometimes discharges are rushed and patients are transferred without the right support in place.

Research by Yougov for Healthwatch England²⁸ found that nearly one in five people who have been discharged from hospital in the last three years did not feel they received all the social care support they required after leaving hospital. Over one in five (21 per cent) did not feel they were fully involved in decisions concerning hospital treatment and planning discharge. One in four (24 per cent) did not feel their friend/ relative were able to cope in their own home after being discharged from hospital.

Healthwatch England spoke to many patients and their relatives about the poor care they had received:



I rang shortly after lunch to be told [Mum] had been discharged. I was shocked. She lived alone and was still delusional. A neighbour rang to say mum had been brought home by ambulance in her nightgown and left at the cold house after the driver got a key from another neighbour. The elderly neighbour stayed with her all night. She was readmitted the next morning.

Julie, family member, online submission to Healthwatch England

Healthwatch England also found that information is not always being passed on to patients' GPs as quickly as it should be, leading to delays in receiving aftercare treatment, or medication once they return back to the community.

While the vast majority of patients in the NHS receive high quality care most of the time, it is clear from the troubling stories told to Healthwatch England that all parties must do more to improve transfers of care across the system.

MENTAL HEALTH

Though often seen to be an issue primarily for acute physical health care, delayed transfers of care are no less a widespread and significant problem in mental health settings or for those experiencing mental health problems.

There is much common ground between the analysis of factors contributing to delayed transfers of care in acute and mental health settings. However it is also worth understanding the less frequently explored specifics of the challenges facing mental health service users and providers by considering the characteristics of those using the services and the nature of the treatment received. Some straightforward international comparisons are helpful here: England is the only country with no mental health beds in general acute hospitals and England is the one of the few countries that does not have integrated alcohol, drug and mental health services.

Over and above the conditions they live with, mental health service users typically face extended stays due to their individual circumstances and characteristics. They can be homeless, live alone, have no recourse to public funds, or be part of a mobile or migrant community. Alongside this they will often suffer complicating factors or comorbidities in terms of physical health problems such as diabetes, thyroid and respiratory conditions.

Additionally drug and alcohol misuse or behaviours such as firesetting can also extend length of stay due to the perceived risk of discharging or having the appropriate setting to which to discharge. A further factor lengthening stay in mental health is the use of the Mental Health Act. This will always increase stays and delay transfers of care, and over recent years there has been a ten per cent increase in Mental Health Act detention rates.

In mental health services children and young people can face similar types of delays to transfer or discharge as frail older people in an acute setting – a lack of appropriate or supported care on leaving an inpatient setting, conditions with increased risk, or a more generally fragmented care pathway due to receiving treatment far away from home and their referrers not being nearby to offer more seamless support. And looked after children will spend longer in inpatient care because of the amount of time it takes to agree their care plan.

Delays and problems occur both in discharge from inpatient mental health settings and for inpatients in acute hospitals with both physical and mental health needs. For mental health services there is not a clear definition of “delayed transfer of care” or “out of area treatment”. This makes vital activities such as accurate data collection and service benchmarking extremely challenging.

An estimated one in 20 bed days are used by people experiencing a delayed discharge in a mental health setting²⁹. Healthwatch England’s financial analysis, endorsed by the Centre for Mental Health, estimates that over 6,000 service users stay in inpatient care longer than is clinically necessary. It estimates that every additional day they spend in hospital costs the NHS in excess of £2m a year³⁰.

Healthwatch England’s research³¹ found shocking examples of the experiences of patients with mental health problems:

“Detained under the Mental Health Act in a low secure unit, Jess had been assessed as fit for discharge. However, an agreement could not be reached about the funding of her care and accommodation in the community. The delay in her discharge was causing significant distress as she was away from her young daughter. Jess went through a multitude of routes to try to resolve these funding issues. She contacted her ‘home team’ (from whom she had not received any correspondence for over a year) and instructed a solicitor who applied to the Mental Health Tribunal. She remained in hospital throughout this time. The authorities finally reached an agreement and Jess has moved into her new home. She now has contact visits with her daughter, who lives with a family member. She is still waiting for discharge from her residency order as she cannot access legal aid and cannot afford to fund court costs herself.”

Jess, online submission

As the research shows, in mental health, DToCs are part of a wider problem around poorly planned capacity which can result in people being taken to an inappropriate setting such as a police cell, or being sent miles away from their home to the only available bed, or being denied care at all.

“John suffered with severe episodes of depression and anxiety. While having some building work done at home, his condition intensified and his wife Anne discovered him engaging in suicidal behaviour. She took John to hospital where he was voluntarily admitted. A few days later, Anne received a text telling her to collect John from the hospital. She was told John would be leaving with medication and she would need to provide him with additional support. John was agitated and did not want to return home, but the hospital rejected his request to stay. He asked if he would be able to return if he felt unable to cope at home but the hospital said no and discharged him with an appointment for further assessment a week later. One evening the following week John said he was going to visit a friend and did not return home. Anne contacted the police who told her that he had committed suicide³².”

The first three months after discharge are a time of particularly high suicide risk; this is especially true within the first 1-2 weeks³³. Between 2002-12 there were 3,225 suicides in the UK by mental health patients in the post-discharge period, 18 per cent of all patient suicides³⁴. Transfer of care between the inpatient and community setting is clearly a vital area of focus to improve the level of care offered to people with mental health problems to ultimately help prevent such negative outcomes for more people.

In addition to the negative experience and outcomes for patients, the lack of appropriate care for patients was clearly also generating a cost to the system due to repeat attendances, inappropriate discharge and problems becoming more severe. Homeless people use four times as many acute health services and eight times as many inpatient health services as the general population, but receive lower levels of follow-up care. Individuals can find themselves going in and out of hospital repeatedly because their housing, benefits and support structures are not in place to enable them to fully recover. This can create a damaging cycle of poor health, admission, discharge and then readmission for those experiencing homelessness.

King's Health Partners estimate that some homeless people attend hospital as many as 30 times per year³⁵:



A heroin addict was seen six separate times at A & E about an abscess in his groin. He was 'treated' every time, not admitted and was discharged in a confused state. Paramedics were called out and said that if he had been left he would have died within a couple of hours.

Focus group, Healthwatch North East Lincolnshire³⁶

These experiences demonstrate the failure of services on some occasions to treat the whole person and to understand their individual circumstances, a similar issue to that faced by the frail elderly. People told Healthwatch England that often only the immediate physical problem they had presented with would be treated. Wider needs – especially mental health conditions – were often overlooked. People felt their treatment was rushed rather than used as an opportunity to ensure that they had all of the support they needed.

Such accounts make uncomfortable reading. However, there are encouraging examples of innovative, integrated care being developed. Patients in Birmingham who may be suffering from mental health problems can access assessment, support and advice from any of the acute hospitals, 24 hours a day, 7 days a week. The rapid assessment, interface and discharge (RAID) model was first piloted by Sandwell and West Birmingham Hospitals NHS Trust and has since been replicated around the country. For referrals from A&E, the team aims to conduct an assessment within one hour. For other referrals, the target is 24 hours. Once a diagnosis has been made, patients are either transferred to the out patient clinic in the hospital or support is arranged in the community³⁷.

Birmingham and Solihull Mental Health Foundation Trust has built on the successful RAID model to provide an additional alternative setting where more prolonged assessments can take place when immediate discharge is not possible. The Psychiatric Decision Unit provides a responsive seven-day service in a supportive environment to people whose complex presentations and/or social issues mean they cannot be immediately

discharged through RAID. Mental health nurses and psychiatrists can take time to help individuals manage crisis in a positive, proactive way and to identify the most appropriate care pathways. The unit currently sees about 80 users per month. Evaluation is ongoing, and has shown a reduced need for mental health beds and positive feedback from service users³⁸. Following this success, other acute trusts in the area are now setting up their own Psychiatric Decision Units.

Northumberland, Tyne and Wear NHS Foundation Trust introduced a bed management and transfers system to tackle out of area treatment and delayed transfers of care. The system has been in place for almost 12 months and has reduced out of area admissions to just six in that time. The trust has also improved transfers between primary and secondary community care mental health services and introduced an initial response service to provide rapid response and triage for people who feel they need urgent help with their mental health³⁹.

Care navigators can also provide help to reduce problems in transfers of care for mental health patients. In the London Borough of Waltham Forest, upon discharge from a mental health service, people are allocated a navigator to support them for a period of 12-18 months. The navigator ensures they attend primary care appointments to monitor their health and discuss their treatment and supports them to reduce their dependency on services. The close relationship enables the navigator to identify early signs of mental health crisis. If this occurs, they can arrange an urgent out patient appointment, re-referral, or a recovery plan. The pilot showed a reduction in crises where regular contact with the navigator was maintained, as well as shorter crisis episodes and less time in secondary care⁴⁰.

Appropriate housing is fundamental to a successful discharge for mental health service users with specific accommodation needs, and is frequently a driver of delays. Leeds and York Partnership NHS Foundation Trust and Community Links set up the Accommodation Gateway to ensure service users are connected with the housing service that best meets their needs and prevent delayed discharges due to housing issues. A key aim of the Gateway was to ensure that service users are actively engaged in decisions about their housing and have genuine choice. A coordinator with knowledge of both mental health needs and housing provision works with the trust, Leeds City Council housing services and accommodation providers to find people the

best placement for them. The trust has seen a marked reduction in delayed discharges due to accommodation issues and out of area placements. The expertise of Gateway coordinators has released clinical time to plan and provide care, and service users have reported a positive and more seamless experience when moving between providers.

One Housing Group forged a joint venture with the Camden and Islington NHS Foundation Trust and the London Borough of Camden for the Tile House development at King's Cross. Both clinical and support staff provide a service to 15 people with complex mental health needs, who may otherwise be in hospital wards or expensive out of borough placements. A shared approach to risk taking, governance, protocols and policies means they can manage incidents quickly, carrying out medication reviews and Care Programme Approaches on site. It has avoided 23 hospital admissions over two years, reduced the average length of stay in hospital from 317 days to 81 days per patient and saved the NHS nearly £900,000 in mental health services and reduced placement fees for the local authority by £443,000, freeing up 1,298 bed days⁴¹. One Housing Group estimates this model could make over £1 billion in efficiency savings for the NHS per year if the model was applied across the country⁴².

QUALITY IMPROVEMENT CAPACITY

One of the watchwords in exploring delayed transfers of care is quality. Quality improvement for both physical and mental health⁴³ requires a systematic approach to working together, using methods, tools, data, measurement, curiosity and open mindsets to consistently strive for improvement in both physical and mental health care. It can be used to help make healthcare safer, more effective, timely, efficient and equitable.

Quality improvement can also help to make services more person-centred, recovery-focused and for example, get better at ensuring people with lived experience of mental illness are at the heart of service design and involved in the co-production of services.

To achieve these outcomes there is an urgent need for staff to feel that they understand quality improvement science and can put it into practice. The commission was told by mental health practitioners that this is particularly true across mental health pathways.

In the case of DToC, there is a need for system wide quality improvement capability and capacity, patient level data capture and analysis and IT infrastructure to support modelling and simulation of variation, demand, capacity and patient flow across complex care pathways. For example, thinking about DToC as an 'outcome' of a whole system approach to flow, can unlock creative, preventative approaches to solution finding and can help decrease the amount of demand on key areas of service.

Quality improvement experience-based design techniques can also be used to support people with lived experience of services and their families to help improve services, co-producing innovative solutions to issues that cause bottlenecks and delays.

The use of quality improvement science not only helps to create the conditions for new ways of thinking about flow across and between organisations, but can also measure whether a change really is an improvement, tracking the intended and unintended consequences to ensure that an improvement in one part of the system does not unbalance another.

The commission has been told that at present quality improvement science is not reliably integrated into mental health training at undergraduate, postgraduate and doctoral level. Some deaneries have managed to include quality improvement in the training of junior doctors and the Royal Colleges are recommending ways that quality improvement science can be incorporated into the education and practice of healthcare professionals.

NHS Wales, NHS Scotland, NHS Improving Quality, the Institute of Healthcare Improvement Open School and BMJ Learning offer some helpful introductory materials for quality improvement, but have very few UK examples from mental health services. To address this gap a national mental health quality improvement toolkit is to be launched in 2016. It will use case studies from five clinical areas to show how quality improvement can work in mental health settings, illustrating the main methodologies and tools.

Some provider trusts, including East London NHS Foundation Trust, Academic Health Science Networks (Yorkshire and Humber, West of England, UCL Partners) and Patient Safety Collaboratives teach quality improvement science and develop local improvement coaches, through “improvement academies” and introduce ways of working collaboratively in regions to achieve key outcomes. This quality improvement methodology is called a ‘collaborative breakthrough series’ and if a national series could be introduced for delayed transfers of care, then knowledge and resources could be pooled and data could be collected to help drive improvement at local and national levels.

WHAT WORKS?



Doing the obvious thing is the radical thing

From the literature review, submissions, discussions, visits and formal meetings the commission has been able to identify and isolate a number of common factors that can help to overcome the seemingly intractable challenge of delayed transfers of care. We have set these out below.

Create a compelling story

In orchestrating any major organisational change it is essential to create a compelling story to ensure everyone is clear as to why change is necessary. The research in this report clearly shows the massive impact delayed transfers of care have on patient care, staff morale and an organisation's bottom line. Nevertheless each organisation must paint this picture for its staff at all levels before embarking on any major operational changes, so that each individual is sufficiently motivated to go on the journey together and understands where his or her contribution fits. This helps ensure everyone in the team shares the commitment to implementing sustainable change. It is difficult to change practice and behaviour if staff cannot see why such change is necessary⁴⁴.

Planning and preparation: really understand the problem



*I have spent all week fire-fighting, isn't it time I found the cause of the fires?*⁴⁵

To improve the flow of patients it is first vital to understand what is causing delays in the first place.

It sounds simple enough but all too often managers and staff assume they understand the underlying causes of delays. Assumptions can lead to further problems: if nurses on a ward assume that delays are caused by a lack of capacity in the community sector they may feel absolved of the responsibility for tackling factors in delays that they can control.

Or managers may rush to 'bolt on' solutions from another organisation without recognising that such solutions do not match their own problems. For example, adding extra capacity in the form of an assessment ward to relieve pressure on A&E. This may work in the short term, but the extra ward eventually fills up as the underlying process problem of the flow of patients through the hospital has not been addressed.



If you have a blocked pipe it is not enough just to mop the floor.

Michael Wilson, CEO Surrey and Sussex NHS Trust.

Expanding capacity is not always the answer:



Some hospitals have chosen to expand the capacity in their A&E department or with assessment units in response to a demand problem. Rather than relieving the situation, it can make matters worse. It is like widening the large end of a funnel without increasing the size or capacity of the neck.⁴⁶

Understanding the problem means exploring the patient journey in detail and identifying where and when delays and problems can occur. This should involve:

- Communication with staff
- Patient and relative feedback
- Data collection and analysis
- Internal and external benchmarking

Talking to staff is fundamental. This needs to involve all staff teams, from consultants to hospital porters, A&E nurses to ward administrators, pharmacists to physiotherapists. Many of these people are actively involved in discharge out of hospital, preparing reports or assessing patients for their ongoing care needs. Each staff team will hold one piece of the jigsaw and be able to identify bottlenecks and roadblocks from their own perspective. It is important to gather this information from all corners and to involve all staff members in the process of exploring the problem, as they will be vital to the implementation of any solution.

Data

Data is a vital tool for understanding what causes delays – and needs to be used as such. Data alone is not enough and evidence is sometimes a poor substitute for common sense and good practice. However it can help to pinpoint where the problems are and provide a starting point for discussions with staff and patients.

First of all it is important to understand what data is available, what it shows, and what remains unknown. Information on delayed transfers of care, inpatient length of stay, bed occupancy rates, discharge times and A&E four hour target times are all helpful indicators. The next stage is to explore the variation in this data. It must be examined in granular detail. For example, on which days and at which times of day are bed occupancy rates highest? How does this align with available capacity? When does capacity dip (staff leave, weekend rotas, clinic times)? What is this information saying about where bottlenecks are occurring? Data is not the only tool available, and it is important to use it as a starting point for wider discussions. Without the right data it will be impossible to understand the root causes of delays.

Benchmarking

Data can be used to benchmark performance against other trusts, to find out areas of excellence and where improvement is needed. It can also be used within organisations: comparing wards and consultant teams to highlight inefficiencies and potential problems which warrant further exploration. This benchmarking can help to identify and challenge variation in decision-making and outcomes. Some studies suggest that consistency of decision making by practitioners is far more important to patient experience and outcomes than creating new services⁴⁷.

The causes of backlogs

According to NHS Improving Quality⁴⁸, there are usually three main reasons why backlogs develop:

1. Demand (referrals) exceeds capacity (staff, equipment and space). This is in practice rarely the reason for delays within hospitals.
2. There is a mismatch between demand and capacity because of variation, for example shift patterns, clinics or theatre sessions do not match times of peak demand
3. Perverse incentives to create queues, for example queues can create the appearance of being highly utilised which is rewarded with extra resources for initiatives to reduce queues.

Understanding where peaks and troughs in capacity do not effectively meet peaks and troughs in demand can help identify bottlenecks and wasted capacity. Where activity does not keep pace with demand, backlogs develop. This in turn creates more problems within providers and elsewhere in the system. In response managers introduce triage systems and carve out slots for urgent patients. Two queues are created which reduces efficiency and capacity: even more staff time is taken up designing and implementing solutions to tackle backlogs. The only permanent solution is to identify what part of the process is causing backlogs in the first place and address it.

Explore the whole patient journey

In seeking to understand the problem of DToC it is important to look at the whole patient journey. For example, after extensive and detailed improvement work in ultrasound, the service improvement lead in an acute NHS trust realised that: "Without improving transport we can go no further to improve ultrasound services." As a result, the hospital decided to review porter services⁴⁹.

The patient should be at the centre of system diagnosis and design. In order to understand their experience, map patient flows over time. How many steps are there in the patient pathway, how long does it take to move between steps? Are there any unnecessary steps? Make the best possible use of the data to gain insight and make decision-making visible and accountable at every stage of the pathway. Ask as many questions as possible about the process with the team. Which patients have the

longest stays in hospital and why? Who discharges our patients? Who stops discharges? Why? How do we know this? Are we just guessing? The more these questions are posed, the more detailed the diagnosis of the problem.

A thorough analysis will of course include a wider look at the local population. Successful organisations are focused on understanding population health, and adopting and making better use of risk stratification tools in order to plan effectively the services to meet those needs.

Many providers could benefit from augmenting their management's capacity to undertake this kind of analytics and process engineering. Organisations can also source support from supply chain partners, local SMEs, and academic institutions.

Engage Staff

It is important to involve staff at all stages in the journey of transforming services. As set out above, all staff need to have a shared commitment to change, and this can be achieved by setting out a clear story for them as to why change is necessary. Secondly, it is crucial to involve staff in the preparation stage, to collectively develop a diagnosis of the individual problems facing a trust and local health economy. Thirdly, setting out a structure will ensure that everyone involved is clear as to what is happening and how the changes will be introduced.

Listen to patients

Just as important as communication with staff is listening to and communicating with patients. Healthwatch England's research underpins how important the feedback of patients is in order to identify where care has gone well and when they have been let down. Poor communication with patients and their families is a leading cause of problems with transfers of care. For example, a patient whose family has not been consulted is sent home without the right support in place and ends up being readmitted in an emergency. We know that in a mental health setting the relationship and communication with family members and social support networks is a critical part of preparing for effective, sustainable discharge.

It is important to learn the lessons of what has gone wrong from the patients and their relatives themselves. Case notes, friends and family test scores and other forms of generic patient feedback can help, as can detailed discussions with patients who have experienced

unnecessarily long lengths of stay in hospital. Investing time in conversations with patients and their families will help diagnose where problems can occur but will also assist professionals to determine their preferences and manage their expectations.

Create a series of measured actions

Once problems are clearly understood and everyone is on board with the challenge of designing solutions, the next step is to set out a series of measured actions to implement change. This means success can be measured, and any drawbacks that may arise along the way can be identified early. Standardised good practice should be adopted based on external and internal benchmarking and adopting best practice models.

Make the good things stick

Spending time at the beginning of the process planning what needs to be done and really understanding the problems you are addressing will help ensure any solutions implemented will be sustainable in the long term. Engaging staff with a compelling vision for change and involving them in every step of the journey will also help to embed new ways of working. Once changes have been introduced, however, it is important to keep an eye on the process and ensure that the drive to make a difference does not tail off. Staff need to feel that the new ways of working are here to stay and have become business as usual.



A change is operationalised once people forget what they did before, it is no longer seen as an add on.⁵⁰

WORKING IN PARTNERSHIP

Remember you are only one piece of the jigsaw

Many successful providers told us that the key has been to understand their performance data internally and with partners, reaching a shared understanding of the complete patient journey before, during and after hospital/inpatient stays and how each part impacts on flow and outcomes. A number have set up regular meetings of all the systems players in relation to avoiding inappropriate admission and ensuring timely transfers of care.

Working effectively across organisational boundaries is never easy. There is a clear risk that additional pressures such as rising demand and tightening budgets can damage such relationships just when it is even more important to enhance them.

Nevertheless, it is vital that organisations avoid the pitfalls of wrangling over budgets and working in silos. The Care Quality Commission⁵¹ has cited as a key success factor: “visible, positive, engaged leadership. Providers work with patients and other groups and agencies to understand the needs of their population”.

Often delays can occur because hospital staff discharging patients have limited awareness of what other services are potentially available in their local community to help them:



I don't know half of what's on there [menu of options for ongoing support], the girls on the ward don't stand a chance

Ward staff team leader⁵²

Often problems occur because of communication difficulties between different organisations and staff teams:



We're all talking different languages and patients are totally confused

Matron⁵³

Such confusion can mean nurses are reluctant to discharge patients at all, or that patients are discharged without the right package of support. It can mean patients languish on wards while they wait for social care assessments to be completed.

Single or shared care records to ensure key information follows the patient through the system are a key element in improving partnership working and avoid unnecessary delays to the flow of patients. All health economies should be working towards this. In the meantime, some areas are developing their own solutions to improve communications. Eden House care home has developed a 'hospital passport' for its residents being admitted as inpatients, detailing personal preferences and information about current treatments. Weston General Hospital, part of Weston Area Health NHS Trust, collaborated with a local care home so that a patient with a learning disability was carefully supported when admitted to hospital for an operation. Arrangements were put in place so that the patient could arrive early and no distressing delays would occur.

East Kent Hospitals University NHS Foundation Trust took a systems approach to **address high readmission rates** within 30 days of discharge for frail and elderly care home residents. They have cut their rate by 30 per cent across the board and up to 50 per cent in some months. The team mapped clinical pathways and sought to understand external influences before identifying risks and testing solutions. Staff were encouraged to question assumptions about where problems might lie. Contrary to their expectations, the key issue was communication between acute medical and care home professionals at the point of discharge, as well as a lack of specialist support for patients in the community, often resulting in emergency readmission. So they worked closely with emergency and care home staff to develop a new tool, the "anticipatory care plan", written in simple, non-medical language and specifically designed for use by care homes when patients are discharged back to their care. They also won funding from the CCG for a new community team of a matron and geriatrician, to case-manage patients in the care home and act as the first point of contact upon discharge⁵⁴.

Kings College Hospital NHS Foundation Trust has developed a 'bundle' for staff to follow when **transferring patients between hospital and care home**. It covers a range of issues associated with discharge including the things patients will need, such as medication, continence products and dressings. It also covers protocols on transporting and escorting patients. It collates the different reports from speech and language therapists, occupational therapists and physiotherapists and information from nurses on ongoing care of conditions like pressure ulcers. It includes information about mental capacity and do not attempt resuscitation (DNAR) notices as well as the patient's personal preferences. This demonstrates the complexity of getting all aspects of a patient's discharge right first time⁵⁵.

Partnership working is essentially about building trust.

It is important to have clear governance structures in place, with decision-makers at the right level meeting face to face to identify solutions and redesign services together, and to invest in the processes to support it. Dynamic, real time, integrated monitoring of patient flow through the whole health and social care system is one of the cornerstones to effectively managing DToC⁵⁶.

When inpatient or hospital care is not the answer

Partnership working can also help prevent people ending up in hospital or inpatient care in the first place.

It is estimated that around a third of admissions through A&E could be prevented⁵⁷. Clearly protecting the front door of the hospital so that unnecessary attendances and admissions are avoided is a crucial element in maximising capacity.

The Health Service Journal has produced a training video discussing the fictional case of 'Mrs Andrews'⁵⁸. It highlights an example of how a patient's experience can go horribly wrong and suggests ways the whole health and care system can be improved to address this. It highlights the need for primary care clinicians to proactively identify patients at high risk of hospital admission. These patients should then have an assessment of their needs, and GPs and other community services should work together to prevent an escalation of their condition. Protocols should be in place with ambulance trusts to find ways of avoiding A&E admission if it is not necessary.

NHS England has recommended that ambulance providers and commissioners work together to develop a mobile urgent treatment service capable of dealing with more people at scene and avoiding unnecessary journeys to hospital. This would, in effect and where appropriate, reduce the number of transfers for people using ambulance services and could help deliver a better experience and avoid unnecessary admissions⁵⁹.

Lincolnshire Community Health Services NHS Trust and East Midlands Ambulance Service NHS Trust have worked together **to establish processes for avoiding unnecessary admissions to A&E for callers to ambulance services**. When appropriate, paramedics speak on the phone with other practitioners before transporting the patient to hospital, in order to identify alternative solutions. In many cases admissions are avoided through arranging appointments or home visits⁶⁰. For example, a 78 year old woman was attended by paramedics regarding concerns of a returning urinary infection. Instead of taking her into hospital, the team arranged for an out of hours GP to prescribe antibiotics over the phone. The patient was able to remain at home rather than be transported to hospital, with the attendant wait in A&E and possible admission.

Avoiding hospital admission is also possible in elective services which can increase capacity. For example, research by the British Heart Foundation has explored the **adaptation of a routine procedure for heart failure patients so that they can be treated in their own home**. 100 per cent of patients preferred this and in 79 per cent of cases hospital admission was avoided. 1,040 bed days and £162,740 were saved during the pilot. The treatment cost was around £783 per intervention compared to £3,796 in hospital⁶¹.

Within the hospital setting, successful organisations have made senior clinical decision makers available at the front door to prevent unnecessary admissions and implemented processes to ensure that patients are admitted to the right ward first time. Salford Royal NHS Foundation Trust relocated its minor injury unit and worked alongside the CCG and council **to employ a 'deflector' to organise GP appointments, steering patients away from A&E when appropriate**⁶². Some areas are now considering social care and reablement services at the front door of the hospital to avoid unnecessary admissions.

The Nottinghamshire Emergency Pathway Taskforce **introduced an advice telephone line for GPs to contact hospital doctors**. This reduced GP emergency admissions by 23 per cent. They also placed primary care staff at the A&E front door to triage and divert patients where appropriate. The Royal Free London NHS Foundation Trust piloted the placement of a senior primary care clinician to undertake triage in A&E. Patients who made their own way to A&E were seen by a GP within ten minutes of arrival at any time between 10am and 10pm seven days a week. 20 per cent were signposted to the emergency department, 30 per cent went home or to their own GP, and 50 per cent were referred to an on-site urgent care centre. The Nottingham pilot ensured that 54 per cent of all adult self-presenters were redirected away from the emergency department. The vast majority went home. This reduced average length of stay to 50 minutes and significantly improved Friends and Family Test scores⁶³.

As soon as they have arrived, start planning when they will leave

There is a growing move to conduct full assessments upon admission, so that patients get to the right services when they come into hospital, and a focus on discharge planning from the earliest stages to avoid delays down the line. While a patient's condition can remain unpredictable, having an evidence based estimated date of discharge will concentrate minds and enable staff to identify patients whose discharge has been unnecessarily delayed.

Early discharge planning has been shown to help reduce length of stay but research by NHS England has found variable evidence of effective discharge planning⁶⁴:

"Many areas that the team had contact with still did not have single integrated discharge planning teams, sharing information and intelligence and proactively engaging in daily board rounds. Where there was evidence of estimated dates of discharge (EDD) set on the day of admission these were not always realistic and patients and families were not consistently advised about the date and the discharge process."

Avoid over medicalising

The Health Service Journal example of Mrs Andrews⁶⁵ demonstrates dramatically how older people can be unnecessarily medicalised when they are admitted into hospital.

So, **it is important to question automatic procedures.**

Does the patient really need to be changed into a gown? Does their risk of falls mean they need to be in a bed with cot sides or would they be better off in a chair? Are they able to move about and what can be done to encourage them to keep active? Is it necessary for them to be on intravenous antibiotics (which care providers after discharge are often unable to continue)?

Some hospitals are exploring introducing chair-based clinics as a better model for these patients. Moving elderly patients between wards should be avoided wherever possible as it can have a dramatic impact on their health, leading to further risk of falls and increased frailty and confusion⁶⁶.

Housing partners can help

Working in partnership with housing associations can help to ease the pressure on acute services. In addition to the good quality affordable housing and green space which avoids ill health, housing associations also provide innovative and tailored solutions to help meet a whole range of particular needs.

They provide specialist housing and support for older people and those with health conditions, both mental and physical, which helps people live independently, reduces the likelihood of hospitalisation, and facilitates smoother discharge from hospital. Housing associations' work improves health outcomes and wellbeing for people with learning disabilities, people with mental health problems, homeless people, older people and many more.

They do this by providing:

- Integrated housing and care for older people
- Community-based support services for older people – such as falls prevention, reablement or primary care delivered nearer to home
- Supported housing for people with mental health problems or learning disabilities – as well as aids and adaptations in people's existing homes

- Specialist support services for people with mental health problems, people at risk of homelessness and other vulnerable people – including employment support or speeding up hospital discharge
- An innovative approach to delivering integrated priorities in devolved arrangements

This work can help to reduce costs too, with supported housing estimated to deliver net savings of around £640m to the public purse overall. This includes a saving of £4,136 per person per year to health services and £10,988 to social care for people with learning disabilities⁶⁷.

As shown in the examples below, the impact of housing associations' work can be maximised where health partners are able to take a transformational approach to service delivery, or use NHS land in innovative ways.

Innovative solutions to hospital discharge

Housing and care provider Midland Heart has worked with **both acute and community trusts to develop reablement units**. Each of the units are refurbished wards, created to reflect a more homely and less clinical environment. Through a joint and trusted assessment team, older individuals deemed medically fit for discharge and who do not require an acute bed, are placed into the service. The reablement team then create a personalised support plan, to meet the social care needs of the customer whilst continuing their discharge journey home. Midland Heart's team of reablement workers deliver a programme of activities that focus on wellbeing, confidence building and independence, as well as ensuring that an ongoing care package is arranged or necessary adaptations are fitted to make the transition home smooth.

For example, Ward D47 at Sandwell and West Birmingham City Hospital provides a step-up and step down refurbished ward within the main City Hospital building. It has 20 flexible community care beds for customers aged 18 or over – with the vast majority aged 65 and over. Midland Heart's reablement workers focus on working to achieve the reablement goals outlined in care and support plans.

WHAT WE SAW

During the course of the project the commission saw many examples of great practice. Here we have selected a number of themed examples drawn from the submissions to the call for evidence, the literature review and the field visits undertaken by Paul Burstow.

Adopting a lean approach

Lean is a widely used improvement approach developed by Toyota to improve flow and eliminate waste, focusing on getting the right things in the right place, at the right time and in the right quantities, while minimising waste and being flexible and open to change. It is about what the customer (the service user in the NHS) values and regards any activity that is not valued as waste. If you remove the waste, the customer receives a more value added service⁶⁸.

Supported by the Health Foundation, Sheffield Teaching Hospitals NHS Foundation Trust examined flow through emergency care pathways to address delays and better match capacity with demand. The “lean” approach provides a structured framework for examining processes and use of resources to identify inefficiencies or blockages, critical to understanding flow. The first ward to implement the scheme achieved a reduction of seven days in the average length of stay and reduced the number of falls. The trust achieved a 37 per cent increase in discharges on the day of or the day after admission (equal to two additional discharges per day); and a reduction in bed occupancy from a mean of 312 in January to a mean of 246 in September (a full year saving of £3.2m from ward closures and reduced staffing requirements)⁶⁹.

When examining patient flow through the hospital it is important to look at elective as well as emergency inpatient journeys. As one hospital told us:



If you only consider the emergency flow it is a bit like running Heathrow but only looking at one of the runways⁷⁰.

There is a difference in the narrative and expectations between emergency and elective care. The latter starts with the presumption of return home and independence. There are lessons to be learned from the elective care enhanced recovery approach with empowered patients.

Monitor has examined best practice in this area and concluded:



The critical steps are: timeliness of first consultant review; the completeness of the case management plan, which should include an expected date of discharge and clinical criteria for discharge; then ensuring the tempo of the case management plan is delivered, highlighting potential bottlenecks or constraints and designing them out of the process. The ambition should be to remove all unnecessary waits along a patient journey⁷¹.

According to one manager we spoke to, part of the approach to timely discharge is not to ‘let go’ of the patient. Their service risk stratifies patients at risk of delayed transfers of care and escalates their priority if they are not seen within 72 hours⁷². Another contributor emphasised the need for all staff to focus on efficient discharge processes, ensuring patients were up, had breakfast and were dressed and ready to go. Likening the process of discharge to hotel checkout times, this contributor explained that there is a need for all teams to work proactively to ensure discharges happen smoothly⁷³.

At our visit to one hospital we heard how easy it is for a discharge to be stopped, with multiple staff members having the power to do this. This trust is now looking at nurse led discharge with agreed discharge criteria, and has introduced a rule that no one is permitted to stop a discharge without going back to the consultant who originally signed it off⁷⁴.

Beyond the hospital

Getting a grip of flow, managing transfers of care to ensure people end up in the most appropriate place is a shared endeavour. In Kent the county council's adult social services department has been working to redesign the way it manages demand for support. It has focused on achieving the most independent outcome possible for the person. The council has used detailed examination of case files to understand the real world flow of people through adult social services and has supported the redesign of the pathways to support self-management and greater choice and control.

This granular understanding of how people moved through the system has enabled Kent to unearth and challenge variation in decision-making, exposing both gaps in knowledge of the menu of support available and gaps in the menu.

One tool the council uses is SHREWD (Single Health Resilience Early Warning Database), a capacity planning tool, designed to be accessed and updated by partners within the local health system in Kent to share 'system critical' information. An evaluation of the system found it had made a significant contribution to sharing information across local partners resulting in shared understanding and action⁷⁵.

They undertook a detailed examination of the acute pathway at discharge to test the appropriateness of the destinations that people were going to. This found a large number of people ending up in the wrong place. By redesigning the pathway, improving the decision-making process and boosting the availability of alternative services Kent has cut the number of inappropriate placements. When implemented county-wide the changes would result in 200 fewer placements into long-term beds

Eliminate Variation

Often it is not a lack of capacity that is the problem, but variation in the use of available capacity, and an inability to appropriately align peaks and troughs of capacity to peaks and troughs in demand.

According to NHS Improving Quality:



Improvement teams up and down the country have consistently shown that the main cause of queuing in the NHS is variation and the mismatch between demand and available capacity. This is contrary to the previously held belief that it was demand alone creating unmanageable queues. We therefore need to develop our understanding of variation, particularly variation in capacity, in order to prevent putting additional capacity at parts of the process that are not bottlenecks, e.g. medical assessment units⁷⁶.

Examples of variation include staffing levels, availability of equipment, patients (acuity, motivation), and processes within the hospital (e.g. guidelines, protocols). It is not possible to eliminate all of this variation, but that which is related to systems and procedures within the hospital can be addressed. For example, where capacity is reduced out of hours but demand remains constant.

Staff at Epsom and St Helier University Hospitals NHS Trust noticed a significant variation in the rate of discharges from weekdays to weekends, creating a Monday backlog. They have now decided to pilot more normalised weekend working to see what impact it would have on flow. Called Super Saturday, the aim is to have senior social work input over the weekend. The goal is to eliminate variation in behaviours around discharge between weekdays and weekends⁷⁷.

Care Navigators

The *Right place, right time* commission has found that many successful organisations have put in place **care navigators to support patients through the system, thereby preventing delays**. The navigator acts as the point of contact for the patient and their family, sometimes supported by administrative assistants to avoid diverting too much clinical time away from the care of patients. NICE is expected to recommend this role in all hospitals as part of its forthcoming guideline for transitions between acute inpatient and community or social care settings for adults with social care needs⁷⁸.

Age UK Oxfordshire has placed two 'care navigators', supported by volunteers, on hospital wards at John Radcliffe Hospital, and at Witney and Abingdon Community Hospitals. The 'Care Navigators' help people and their families to understand the options available to them if they have care and support needs. They help them make choices about their future care and facilitate safe and effective discharge – be that to their own homes or to residential or nursing care – as soon as they are well enough⁷⁹.

It is vital that initiatives like care navigators or dedicated discharge teams are not 'bolted on'. To be sustainable they must be fully integrated into the work of a ward or department. As previously discussed all staff must be engaged in understanding the problem and identifying the solution. Otherwise a new initiative can simply be seen as taking away the shared responsibility for discharging patients at the right time.

Care navigators can also have a useful role to play in primary care settings, enabling more proactive care for vulnerable patients. Victoria Medical Centre has introduced a link worker for patients over 75 at risk of isolation or falls, aimed at improving personalised care and preventing hospital admission⁸⁰.

Medicines administration

The Royal Pharmaceutical Society has developed core principles to support the safe transfer of information about medicines across all care settings and reduce avoidable harm to patients⁸¹. A number of providers have successfully applied these principles to reduce the issues associated with medicines management.

Isle of Wight NHS Trust conducted a reablement project in which hospital pharmacists used the time when a patient was in hospital to help them understand their medicines, and supported them both in hospital and after they left, including addressing any concerns. Following discharge, community pharmacists were given the results of the patient's hospital assessments and visited them at home to reinforce previous advice, assess how they were doing and offer any further support they might need. My Medication Passport, designed by patients for patients, is a pocket-size booklet, also available as a smart phone app, which allows the user to record medications and other key medical information to ensure accurate transfer of information between care settings.

Involving pharmacy teams in tackling delayed transfers of care can produce significant results. **East Lancashire Hospitals NHS Trust piloted smoother discharge involving the pharmacy team at the heart of the project**. More than half of discharge letters were authorised by lunchtime (three times as many as the trust average). Seventy-five per cent of patients went home by 4pm (Again, three times as many as the trust average). All patients were discharged with accurate information about their ongoing medicines⁸².

End of life care

When patients are nearing the end of life it is more important than ever that transfers of care go smoothly. It is often the case, however, that these transfers can be the most complicated to get right. According to Marie Curie Cancer Care around seven out of ten people in the UK want to die at home but currently over half die in hospital⁸³. Findings by the National Audit Office suggest that 40 per cent of end of life care patients have no medical need to be in hospital⁸⁴. The right care is, however, often not provided in their own homes or in care homes to deal with their needs.

St Giles Hospice has set up a service in partnership with Bromford⁸⁵, a social enterprise that provides housing support, called 'My Home Support'. So far nine out of ten patients using the service have been supported to die in the place of their choosing. The service teams build up a rapport with patients which can help them overcome a reluctance to engage with support:

"Mr C had been diagnosed with terminal lung cancer and lived alone in a two storey house[...] He had no care package and there was no District Nurse involvement and all hospice services were also declined...He was experiencing constant and increasing pain. The only toilet was upstairs and, as he became increasingly unsteady on his feet, he was at risk of falls. The pain and reduced mobility meant he was no longer able to visit the local pub and meet friends there, escalating his social isolation."

"My Home Support' was accepted as it was seen as being outside of health and social care. Over time the support worker built up a rapport based on shared interests of birds and wildlife, and was able to also encourage discussion about his care wishes, pain relief and aids that might help. Eventually he agreed to let the District Nurse visit to better manage his pain. This improved his mobility significantly. He told her that he had met friends for a drink in the pub. His daughter said that she had noticed a big change in his physical and mental wellbeing. As it became easier to have conversations he agreed to an occupational health assessment, which led to a bath seat and a commode for downstairs. When Mr C deteriorated, Hospice at Home was put in place and he died at home as he wished."

Ongoing support

As is clear from the data available, many delays in transfers of care are caused by a lack of availability of ongoing support, or delays in the assessment process to establish support packages.

A number of health economies are now implementing 'Discharge to Assess' models, where a patient is discharged to their own home while ongoing support is arranged. We heard from several organisations which have experienced a positive impact on their services and succeeded in cutting the number of delays, or reducing the rate of growth where delays had been increasing steeply. For example, the Aintree at Home model has saved 327 bed days over six months – eight bed days on average per patient.

NHS England⁸⁶ recently published new guidance on urgent and emergency care which recommends that discharge to assess should become the default pathway.

University Hospital Southampton NHS Foundation Trust runs a therapy-led discharge to assess programme.

Patients are assessed by a therapist in their usual place of residence and are then given an appropriate package of care. Over a period of three weeks, 12 patients were discharged, saving an estimated 27 acute bed days. There has also been a reduction in the level of care required at home by patients assessed in this way⁸⁷.

Norfolk and Norwich University Hospitals NHS Foundation Trust introduced a proactive reablement service near to the acute site.

It was run by a multi-disciplinary team and achieved very positive results with 90 per cent of patients returning home afterwards:



Mum was happy and we could really see she was progressing. I didn't notice there were different teams. It was exactly how it should be... We needed more than 4 days to get the bed downstairs. We all work. We talked to the people at [the unit] and agreed a day that gave mum time and gave us time to get organised⁸⁸.

The future? Integrated, preventative, proactive care

A growing number of organisations are developing projects in partnership with social care, housing or the voluntary sector, often paid for through block contracts for a set level of provision, for example to deliver temporary care packages in the community as an interim solution where a person is ready to be discharged but a care package is not yet in place. This kind of approach can enable individuals to move to a more appropriate setting to receive ongoing care, when they may otherwise have had to remain in hospital. Many healthcare providers have also begun offering links into other relevant services such as housing and employment advice, to better support people upon discharge and avoid readmissions.

Hospital discharge should be seen as an opportunity to ensure that patients have the right package of preventative, proactive care to enable them to remain independent in future and prevent any further hospital admission. Too often this opportunity is missed.

Approaches such as the **older persons advisory and liaison service at Epsom and St Helier University Hospitals NHS Trust**⁸⁹ can help to mitigate this risk.

OPAL – older persons advisory liaison service.

“The OPAL team picks people up from A&E, identifying those patients who need comprehensive geriatric assessments. The service has been in place at Epsom Hospital for four years. It reduces the numbers of people admitted to hospital and subject to a ‘medical model’ process.”

“The OPAL model is also being used to identify patients at risk of admission and to have conversations about preferences around health treatment ahead of time. The Trust has employed a GP to engage with patients and their families.”

“The team provides rapid assessment to discharge. An Occupational Therapist and care assessor go home with the patient, ensuring the assessment is done in context. They do a lot of work unpicking discharges to learn lessons. They found, for example, that some people were being bounced back into hospital by care workers. The care workers had not been involved in the change and when they went to a person’s home and found them ‘unwell’ they triggered a readmission. This service enables the health economy to see the whole person story rather than fragmented investigations into individual presenting medical issues.”

Forward thinking health economies are using technology to support more integrated working. For **example, Airedale NHS Foundation Trust has video links with ten nursing homes**, providing 24 hour support to the home staff and directly to residents in order to prevent emergency admissions.

In some places community and acute NHS services are already developing domiciliary care offerings of their own. With a strong focus on reablement, these services can be the difference between someone going home and regaining their independence or increasing in dependency and relying on formal care services.

Some areas are working in close partnership with housing providers to ensure reablement services focus on the whole person and their home circumstances rather than simply looking at their condition in isolation. Services like **Manchester Care & Repair** help transfer patients home. They arrange support like doing emergency shopping and making a patient’s home safer, warmer and more habitable. This service has achieved a significant reduction in emergency readmissions.

Aster Living Somerset visits patients in hospital and at home to help plan their discharge. They move beds and other furniture; assemble new flat pack furniture, and repair trip hazards. They also check that benefits have not been stopped and that new benefits are applied for where relevant, check there is food in the house and that the gas and electricity are working. They refer patients on to long-term help.

Similarly, **Swale Staying Put** makes basic changes to people’s homes to make them more suitable for their ongoing needs and to prevent falls, for example attaching grab rails and fixing loose carpet. Croydon Staying Put also provides similar support, including blitz cleans and the purchase of essential home equipment, such as a fridge, beds and bed linen or a microwave for meals on wheels⁹⁰.

Often the most effective services are not the most expensive, but are proactive in supporting people to remain independent and healthy for longer. **Southwark and Lambeth Older People’s Information Directory** provides easily accessible information online about clinical, social and voluntary sector support available in the local community. Over 1,400 services are listed, including exercise classes, housing advice and social clubs. Hosted on the Age UK Lambeth website, it supports local statutory services to introduce social prescribing and signposting⁹¹.

CONCLUSION

Delayed transfers of care can and must be reduced to ensure that NHS providers of all types can remain sustainable and continue to deliver high quality patient care. The *Right place, right time* commission has found that there is no single, simple solution to reducing delayed transfers of care. The key to success lies in focusing on what can be done in the hospital or inpatient setting and in partnership with other providers and those offering support across the health economy.

In this vein we have sought to highlight not only what providers and their partners can do, but also to identify where actions by national players need to change. Often it is their frameworks, systems and processes that can, unintentionally, undermine local progress.

It is important to keep patients, service users and carers at the heart of solving the problem and to work with staff across all levels, taking everyone with you on the improvement journey. Trusts should consider adopting process engineering and data analytics as valuable tools to help surface the root causes of problems with transfers of care and there needs to be a shared understanding across institutional boundaries of what the data is showing. Simply adding initiatives to already complex pathways is likely to exacerbate problems of flow.

In contrast, by making the process leaner, understanding it end to end, designing change in partnership with the frontline, and making sure the patient's perspective is held at the centre of everyone's practice we can reduce length of stay, speed up the process of discharge, ensure adequate ongoing support and most importantly, improve.

Further reading and resources

Health Foundation (2013). 'Improving patient flow.'

http://www.health.org.uk/sites/default/files/ImprovingPatientFlow_fullversion.pdf
(lists a lot of other publications for further reading...)

King's Fund. 'Quarterly Monitoring Reports.'

<http://qmr.kingsfund.org.uk/2015/>

King's Fund (2014). 'Delayed transfers: Beyond the headlines.'

<http://www.slideshare.net/kingsfund/qmr10-delayedtransferscareslidepack>

King's Fund (2013). 'Are delayed transfers a growing problem?'

<http://www.kingsfund.org.uk/blog/2013/02/are-delayed-transfers-growing-problem>

British Medical Journal (January 2015). Discharging patients from overcrowded hospitals: fewer "progress chasers" and more "doers" please.

<http://blogs.bmj.com/bmj/2015/01/07/david-oliver-discharging-patients/>

Royal Voluntary Service (2015). 'Delayed discharges show the NHS under strain.'

<http://www.royalvoluntaryservice.org.uk/news-and-events/what-we-are-saying/delayed-discharges-show-the-nhs-under-strain>

NHS England. Delayed transfers of care 2015/16 data.

<http://www.england.nhs.uk/statistics/statistical-work-areas/delayed-transfers-of-care/delayed-transfers-of-care-data-2015-16/>

National Audit Office (2014). 'Planning for the Better Care Fund.'

<http://www.nao.org.uk/report/planning-better-care-fund-2/>

NHS benchmarking network (2015). 'Benchmarking mental health services.'

<http://www.nhsbenchmarking.nhs.uk/CubeCore/.uploads/201516%20Project%20Cards/21678MentalHealthFinal.pdf>

NHS Benchmarking Network (2014). 'National Audit of Intermediate Care 2014.'

<http://www.nhsbenchmarking.nhs.uk/CubeCore/.uploads/NAIC/NAICProviderReport2014FINAL2.pdf>

NHS benchmarking network (2014). 'Community services benchmarking overview report.'

<http://members.nhsbenchmarking.nhs.uk/private/docs/projects/2015/CS-Overview-Report-2015.pdf>

NHS Benchmarking Network (March 2015). 'Mental health supported housing context and analysis.'

<http://www.rcpsych.ac.uk/pdf/Stephen%20Watkins%2012pm.pdf>

King's Fund (2014). 'A new settlement for health and social care: final report.'

<http://www.kingsfund.org.uk/publications/new-settlement-health-and-social-care>

Health Service Journal (2012). Analysis of Department of Health data on delayed transfers.

<http://m.hsj.co.uk/5047755.article>

The Guardian (2015). Ambulance service to test new response system in bid to reduce delays.

<http://www.theguardian.com/society/2015/jan/16/ambulance-trial-response-times>

Healthwatch England (2015). Safely home: what happens when people leave hospital and care settings?

http://www.healthwatch.co.uk/sites/healthwatch.co.uk/files/170715_healthwatch_special_inquiry_2015_1.pdf

Commission on Acute Adult Psychiatric Care (2015). Improving acute inpatient psychiatric care for adults in England: interim report.

http://media.wix.com/ugd/0e662e_a93c62b2ba4449f48695ed36b3cb24ab.pdf

NHS Confederation (2012). 'Papering over the cracks: the impact of social care funding on the NHS.'

<http://www.nhsconfed.org/~media/Confederation/Files/Publications/Documents/papering-over-cracks.pdf>

Department of Health (2013). 'Government Response to the House of Commons Health Select Committee Report into Urgent and Emergency Services (Second Report of Session 2013 – 14).'

https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/249372/Cm8708.pdf

Monitor (2014). 'Complying with Monitor's integrated care requirements.'

<https://www.gov.uk/government/publications/integrated-care-how-to-comply-with-monitors-requirements/complying-with-monitors-integrated-care-requirements>

Monitor (2014). 'Exploring international acute care models.'

<https://www.gov.uk/government/publications/exploring-international-acute-care-models>

Care Quality commission (2009). 'National report: Managing patients' medicines after discharge from hospital.'

http://webarchive.nationalarchives.gov.uk/20101201001009/http://www.cqc.org.uk/_db/_documents/Managing_patients_medicines_after_discharge_from_hospital.pdf

NHS England. Delayed Transfers of Care: monthly situation reports.

<http://www.england.nhs.uk/statistics/2015/06/26/delayed-transfers-of-care-monthly-situation-reports-may-2015/>

Association of ambulance chief executives and NHS Improving Quality (2012). The route to success in end of life care: achieving quality in ambulance services.

<http://www.nhs.uk/resource-search/publications/eolcrts-ambulance.aspx>

Papworth Hospitals NHS Foundation Trust and NHS Improving Quality (2013). Cardiac Physiologists provision of seven day services to support cardiac interventions and improved bed usage.

<http://www.nhs.uk/resource-search/case-studies/7ds-papworth.aspx#sthash.s4P46R2d.dpuf>

King's Fund and Nuffield Trust (2011). 'The evidence base for integrated care.'

<http://www.nuffieldtrust.org.uk/sites/files/nuffield/evidence-base-for-integrated-care-251011.pdf>

Nuffield Trust (2012). 'Reforming social care: options for funding.'

http://www.nuffieldtrust.org.uk/sites/files/nuffield/publication/120529_reforming-social-care-options-funding_0.pdf

Nuffield Trust (2014). 'The Better Care Fund: no easy way out.'

<http://www.nuffieldtrust.org.uk/blog/better-care-fund-no-easy-way-out>

Quality watch. Delayed transfers of care analysis.

<http://www.qualitywatch.org.uk/indicator/delayed-transfers-care>

King's Fund (2014). Making best use of the Better Care Fund.

http://www.kingsfund.org.uk/sites/files/kf/field/field_publication_file/making-best-use-of-the-better-care-fund-kingsfund-jan14.pdf

Royal Pharmaceutical Society (2011). 'Keeping patients safe when they transfer between care providers – getting the medicines right.'

<http://www.nhs.uk/news/2011/07july/documents/transfer%20of%20care%20professional%20guidance%20-%20final.pdf>

Health Foundation (2013). 'Insight 2013: patient reporting of safety in organisational care transfers (PRoSCT).'

<http://www.health.org.uk/programmes/projects/insight-2013-patient-reporting-safety-organisational-care-transfers-prosct>

Health Foundation (2014). 'A systems approach to reducing hospital readmission for frail older people.'

<http://www.health.org.uk/newsletter/systems-approach-reducing-hospital-readmission-frail-older-people>

Monitor (2015). 'Performance of the foundation trust sector: year ended 31 March 2015.'

https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/429947/Q4_2014-15_Sector_Performance_for_Board_-_Updated_Final__map_.pdf

NHS Confederation (2006). 'Lean thinking for the NHS.'

<http://www.nhsconfed.org/~media/Confederation/Files/Publications/Documents/Lean%20thinking%20for%20the%20NHS.pdf>

University of Warwick and NHS Institute for Innovation and Improvement (2007). 'Going Lean in the NHS.'

<http://www.northamptongeneral.nhs.uk/Downloads/OurServices/ServiceImprovement/Toolsforimprovement/GoingleanintheNHS.pdf>

National Information Board (2014). 'Personalised health and care 2020: using data and technology to transform outcomes for patients and citizens - a framework for action.'

https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/384650/NIB_Report.pdf

David I Ben-Tovim et al., published in the Medical Journal of Australia (2008). 'Redesigning care at the Flinders Medical Centre: clinical process redesign using 'lean thinking'.'

<https://www.mja.com.au/journal/2008/188/6/redesigning-care-flinders-medical-centre-clinical-process-redesign-using-lean>

Royal Bolton Hospital NHS Foundation Trust and Sheffield Hallam University (2001). 'Lean: changing the organizational discourse for facilities management?'

http://shura.shu.ac.uk/3767/1/EuroFM2011_version11.pdf

NHS England (2015). 'Transforming urgent and emergency care services in England.'

<https://www.england.nhs.uk/wp-content/uploads/2015/06/trans-uec.pdf>

NICE (2015). Draft guideline for consultation: 'Transition between inpatient hospital settings and community or care home settings for adults with social care needs.'

<http://www.nice.org.uk/guidance/indevelopment/GID-SCWAVE0712/consultation/transition-between-inpatient-hospital-settings-and-community-or-care-home-settings-for-adults-with-social-care-needs-draft-guideline-consultation>

Monitor (2015). 'A&E delays: why did patients wait longer last winter?'

<https://www.gov.uk/government/publications/ae-delays-why-did-patients-wait-longer-last-winter>

Monitor (2015). 'A&E delays: last winter at a glance.'
https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/458097/At_a_glance.pdf

Health Service Journal, Nursing Times and NHS Improving Quality. 'Challenge Top-Down Change campaign.'
<http://www.hsj.co.uk/5083743.article>

NHS Improving Quality (2015). 'A directory of organisations, groups and teams that support innovation, improvement, leadership development and systems leadership.'
<http://www.nhs.uk/resource-search/publications/a-directory-of-organisations,-groups-and-teams-that-support-innovation,-improvement,-leadership-development-and-systems-leadership.aspx>

Health Service Journal commission on hospital care for frail older people (2014). 'Final report.'
<http://www.hsj.co.uk/Journals/2015/03/18/s/d/x/frail-older-people-commission-final-report.pdf>

NHS Institute for Innovation and Improvement (2005). 'Improvement Leaders' Guide: Improving flow - process and systems thinking.'
http://www.nhs.uk/media/2594828/ilg_-_improving_flow.pdf

Health Service Journal (2014). 'Mrs Andrews' Story.'
https://www.youtube.com/watch?v=Fj_9HG_TWEM

Housing LIN. Hospital2Home resource Pack.
http://www.housinglin.org.uk/hospital2home_pack/

Housing for Health resources.
<http://www.housingforhealth.net/reducing-demand-on-hospitals>

Australian National University and James Cook University (2015). 'Analysing sub-acute and primary health care interfaces – research in the elderly.'
<http://aphcri.anu.edu.au/files/ASPIRE%20Full%20report.pdf>

NHS Institute for Innovation and Improvement. Quality and service improvement tools.
www.institute.nhs.uk/qualitytools

NHS Institute for Innovation and Improvement. 'Seven Ways to No Delays.'
http://www.institute.nhs.uk/index.php?option=com_joomcart&main_page=document_product_info&products_id=680&cPath=89

Care Services Improvement Partnership and the National Institute for Mental Health in England (2006). 'High Impact Changes for Mental Health Services.'
<http://webarchive.nationalarchives.gov.uk/20070305103429/nimhe.csip.org.uk/our-work/10-high-impact-changes-for-mental-health-services.html>

AgeUK Lambeth and Southwark. Older people's information directory.
<http://directory.ageuklambeth.org.uk/>

The Academy of Fabulous NHS Stuff.
<http://www.fabnhsstuff.net/>

NHS England (2015). Quick guides: transforming urgent and emergency care services in England.
<http://www.nhs.uk/NHSENGLAND/KEOGH-REVIEW/Pages/quick-guides.aspx>

Contributors

The *Right place, right time* commission would like to thank the following people and organisations for contributing to our work by facilitating meetings, telephone interviews, or site visits, or by written submissions:

Helen Bevan, chief transformation officer, NHS Improving Quality

Emily Bird, policy leader, National Housing Federation

Charlotte Buckley and Anne Hackett, local insight and resilience branch, Department of Health

Anna Burhouse, director of quality, West of England Academic Health Science Network

Eileen Burns, Leeds Teaching Hospitals NHS Trust

Kathy Chapman, programme manager, Mental Health Network, NHS Confederation

Kevin Cleary, medical director, East London NHS Foundation Trust

Paul Farrimond, specialist advisor – mental health, NHS Providers

Michelle Ginnelly, clinical deputy manager – Tile House, One Housing Group

Phil Horner, deputy network director, Lancashire Care NHS Foundation Trust

Mike Kelly, head of mental health, Dorset Healthcare University NHS Foundation Trust

Stephen Knight and Ric Whally, associate directors, Newton Europe

Jacob Lant, head of policy and partnerships, Healthwatch England

David Maltz, executive chairman, Oak Group

Ade Odunlade, interim associate director of operations, Coventry and Warwickshire Partnership NHS Foundation Trust

Dr William Oldfield, deputy medical director, Imperial College Healthcare NHS Trust

Professor David Oliver, president, British Geriatrics Society and Visiting Fellow, The King's Fund

Dr Vijay Parkash, clinical director for CAMHS and developmental services, West London Mental Health NHS Trust

Jeremy Porteus, director, Housing Learning and Improvement Network

Bobby Pratap, project manager – crisis care, NHS England

William Roberts, national lead - enhanced health in care homes, new care models team, NHS England

Merron Simpson, housing and health lead, NHS Alliance

Geraldine Strathdee, national clinical director for mental health, NHS England

Andrea Sutcliffe, chief inspector of adult social care, Care Quality Commission

Ruth Williams, clinical directorate lead, iCare, Sandwell & West Birmingham Hospitals NHS Trust

Phil Wilshire, social care lead, Avon and Wiltshire Mental Health Partnership NHS Trust

Michael Wilson, chief executive, Surrey and Sussex Healthcare NHS Trust

AgeUK

Aintree University Hospital Foundation Trust

Airedale NHS Foundation Trust

Birmingham and Solihull Mental Health Foundation Trust

British Heart Foundation

Bromford

Derbyshire Community Health Services NHS Foundation Trust

Doncaster and Bassetlaw Hospitals NHS Foundation Trust

East Kent Hospitals University NHS Foundation Trust

East Lancashire Hospitals NHS Trust

Epsom and St Helier NHS Trust

Foundations

Guy's and St Thomas' NHS Foundation Trust

Health Foundation

Heart of England NHS Foundation Trust

Homerton University Hospital NHS Foundation Trust

Housing for Health

King's Health Partners

King's College Hospital NHS FT

Leeds and York Partnership NHS FT

Lincolnshire Community Health Services NHS Trust

Local Government Association

Mental Health Providers Forum

National Housing Federation

NaviCare at Home

Norfolk and Norwich University Hospitals NHS Foundation Trust

Northumberland, Tyne and Wear NHS Foundation Trust

Northumbria Healthcare NHS Foundation Trust

Nottingham University Hospitals NHS Trust

Nottinghamshire Healthcare NHS Foundation Trust

Oak Group International

One Housing Group

Oxford Health NHS Foundation Trust

Oxleas NHS Foundation Trust

Royal College of Emergency Medicine

Royal Marsden NHS Foundation Trust

Sheffield Teaching Hospitals NHS Foundation Trust

South Warwickshire NHS Foundation Trust

Southern Health NHS Foundation Trust

St Giles Care Agency

St Giles Hospice

The Care Quality Commission

The Christie NHS Foundation Trust

University College London NHS Foundation Trust


University Hospital Southampton NHS Foundation Trust


Footnotes

- 1 Monthly delayed transfers of care data, NHS England, August 2015.
<https://www.england.nhs.uk/statistics/statistical-work-areas/delayed-transfers-of-care/>
- 2 Older People in Acute Settings, NHS Benchmarking, April 2015.
<http://www.nhsbenchmarking.nhs.uk/CubeCore/uploads/NHSBNOPReport2014Circ.pdf>
- 3 A&E delays: why did patients wait longer last winter? Monitor, September 2015 www.gov.uk/government/publications/ae-delays-why-did-patients-wait-longer-last-winter
- 4 Healthwatch England Special inquiry findings July 2015.
http://www.healthwatch.co.uk/sites/healthwatch.co.uk/files/170715_healthwatch_special_inquiry_2015_1.pdf
- 5 National Housing Federation submission to the *Right place, right time* commission.
- 6 NHS Alliance housing for health.
<http://www.housingforhealth.net/reducing-demand-on-hospitals>
- 7 <https://www.gov.uk/government/publications/ae-delays-why-did-patients-wait-longer-last-winter>
- 8 http://aphcri.anu.edu.au/files/ASPIRE_per_cent20Full_per_cent20report.pdf
- 9 <http://www.kingsfund.org.uk/blog/2015/07/care-homes-coming-out-shadows>
- 10 The National Living Wage was announced by the Chancellor in the July 2015 Budget in place of the National Minimum Wage. The NLW will commence from April 2016.
<https://www.gov.uk/government/publications/national-living-wage-nlw/national-living-wage-nlw>
- 11 Lidl UK becomes first British supermarket to introduce the Living Wage.
<http://www.lidl.co.uk/en/10187.htm>
- 12 The Living Wage is calculated according to an internationally agreed definition.
<http://www.lboro.ac.uk/research/crsp/mis/thelivingwage/>
- 13 Healthwatch England Special inquiry findings July 2015.
- 14 Parkinson's 'Get it on time' campaign' For more information:
<http://www.parkinsons.org.uk/content/get-it-time-campaign>
- 15 National Audit of Intermediate Care (NAIC) 2014.
<http://www.nhsbenchmarking.nhs.uk/CubeCore/uploads/NAIC/NAICSummaryReport2014.pdf>
- 16 Healthwatch England Special inquiry findings July 2015
- 17 A&E delays: why did patients wait longer last winter?, Monitor, September 2015.
<https://www.gov.uk/government/publications/ae-delays-why-did-patients-wait-longer-last-winter>
- 18 Submission to the *Right place, right time* commission by the Royal College of Emergency Medicine.
- 19 Department of Health, Social Services and Public Safety, 2015. Emergency Care Waiting Time, Provisional Figures Dec 14.
<http://www.dhsspsni.gov.uk/index/statistics/downloadable-data.htm>
- 20 Care Quality commission submission to the *Right place, right time* commission.
- 21 Ambulance service to test new response system in bid to reduce delays, The Guardian, Jan 15.
<http://www.theguardian.com/society/2015/jan/16/ambulance-trial-response-times>
- 22 Submission to the *Right place, right time* commission from the Royal College of Emergency Medicine.
- 23 QMR 16, King's Fund, July 2015.
<http://qmr.kingsfund.org.uk/2015/16/>
- 24 Based on £3,375 cost of inpatient episode excluding excess bed days, NHS Reference Costs 2013/14.
- 25 Age UK, June 2014.
<http://www.ageuk.org.uk/latest-press/archive/nearly-2-million-nhs-days-lost-as-people-remain-in-hospital/>
- 26 Research from the National Audit Office, quoted in Healthwatch England Special inquiry findings July 2015.
- 27 Lord Carter of Coles (2015) Review of operational productivity in NHS providers. Interim Report. An independent report for the Department of Health. Available from:
www.gov.uk/government/uploads/system/uploads/attachment_data/file/434202/carter-interimreport.pdf
- 28 Healthwatch England Special inquiry findings July 2015.
- 29 Healthwatch England analysis of NHS Mental Health Hospitals in England data at October 2014.
http://www.healthwatch.co.uk/sites/healthwatch.co.uk/files/safely_home_large_print.pdf
- 30 Based on 1 in 20 discharges being delayed. My NHS data.
<http://www.nhs.uk/Service-Search/performance/search>
- 31 Healthwatch England Special inquiry findings July 2015.
- 32 Healthwatch England Special inquiry findings July 2015.
- 33 Appleby L, Kapur N, Shaw J, Hunt IM, While D, Flynn S, et al. (2013) The National Confidential Inquiry into Suicide and Homicide by People with Mental Illness:
<http://www.bbmh.manchester.ac.uk/cmhs/centreforsuicideprevention/nci/reports/Annualreport2014.pdf>

- 34 The National Confidential Inquiry into Suicide and Homicide by People with Mental Illness (2014) Annual Report 2014: England, Northern Ireland, Scotland and Wales. July 2014.
<http://www.bbmh.manchester.ac.uk/cmhs/research/centreforsuicideprevention/nci/>
- 35 Nigel Hewett and Sam Dorney-Smith, Kings Health Partners and the Impact of Homelessness 2013,p 42.
- 36 Healthwatch England Special inquiry findings July 2015.
- 37 Psychiatric support teams improve patient care and save hospitals millions, The Guardian, June 2014.
<http://www.theguardian.com/society/2014/jun/03/psychiatric-support-teams-in-acute-hospitals>
- 38 Submission to the *Right place, right time* commission from Birmingham and Solihull Mental Health Foundation Trust.
- 39 Submission to the *Right place, right time* commission from Northumberland, Tyne and Wear NHS Foundation Trust.
- 40 Healthwatch.
- 41 One Housing Group submission to the *Right place, right time* commission.
- 42 Surplus NHS land: a best value alternative, National Housing Federation (2015).
- 43 Adapting the Institute of Medicine's 2002 six aims of quality in healthcare.
- 44 *Right place, right time* commission site visit: St Helier hospital 21st July 2015.
- 45 Hospital manager responding to *Right place, right time* commission.
- 46 Improvement Leaders' Guide, Improving flow: Process and systems thinking, NHS Institute for Innovation and Improvement, 2005.
http://www.nhs.uk/media/2594828/ilg_-_improving_flow.pdf
- 47 Research by Newton Europe.
- 48 Research by Newton Europe.
- 49 Seven ways to no delays, v2, January 2010, NHS Institute for Innovation and Improvement.
<http://www.qualitasconsortium.com/index.cfm/reference-material/no-delays/seven-ways-to-no-delays/>
- 50 Seven ways to no delays, v2, January 2010, NHS Institute for Innovation and Improvement.
<http://www.qualitasconsortium.com/index.cfm/reference-material/no-delays/seven-ways-to-no-delays/>
- 51 Seven ways to no delays, v2, January 2010, NHS Institute for Innovation and Improvement.
<http://www.qualitasconsortium.com/index.cfm/reference-material/no-delays/seven-ways-to-no-delays/>
- 52 Seven ways to no delays, v2, January 2010, NHS Institute for Innovation and Improvement.
<http://www.qualitasconsortium.com/index.cfm/reference-material/no-delays/seven-ways-to-no-delays/>
- 53 Seven ways to no delays, v2, January 2010, NHS Institute for Innovation and Improvement.
<http://www.qualitasconsortium.com/index.cfm/reference-material/no-delays/seven-ways-to-no-delays/>
- 54 Health Foundation, A systems approach to reducing hospital readmission for frail older people, October 2013.
<http://www.health.org.uk/newsletter/systems-approach-reducing-hospital-readmission-frail-older-people>
- 55 Submission by Kings College Hospital NHS Foundation Trust to the *Right place, right time* commission.
- 56 Report on the work of the Helping People Home Team in supporting reduction in the number of Delayed Transfers of Care (DToC), May 2015, DH and NHS England.
- 57 Report on the work of the Helping People Home Team in supporting reduction in the number of Delayed Transfers of Care (DToC), May 2015, DH and NHS England.
- 58 https://www.youtube.com/watch?v=Fj_9HG_TWEM
- 59 NHS England (2015) Transforming urgent and emergency care services in England.
<http://www.england.nhs.uk/wp-content/uploads/2015/06/trans-uec.pdf>
- 60 Submission to *Right place, right time* commission from Lincolnshire Community Health Services NHS Trust.
- 61 <https://www.bhf.org.uk/heart-matters-magazine/medical/intravenous-diuretics-at-home>
- 62 Care Quality commission submission to the *Right place, right time* commission.
- 63 Nottinghamshire Emergency Pathway Taskforce submission to the *Right place, right time* commission.
- 64 Report on the work of the Helping People Home Team in supporting reduction in the number of Delayed Transfers of Care (DToC), May 2015, DH and NHS England.
- 65 Health Service Journal, Mrs Andrews' story: Her failed care pathway, May 2014.
https://www.youtube.com/watch?v=Fj_9HG_TWEM
- 66 Unnecessary ward moves, Oxford Journal, Age and Ageing, Marion E.T. McMurdo and Miles D. Witham, July 2013.
<http://ageing.oxfordjournals.org/content/early/2013/07/25/ageing.aft079.full>
- 67 Financial benefits of investing in specialist housing for vulnerable and older people, Frontier Economics (2010).
- 68 NHS Institute for innovation and improvement (2007), Going lean in the NHS.
<http://www.northamptongeneral.nhs.uk/Downloads/OurServices/ServiceImprovement/Toolsforimprovement/GoingleanintheNHS.pdf>

- 69 Improving Patient Flow, Health Foundation, April 2013.
<http://www.health.org.uk/publication/improving-patient-flow>
- 70 Field visit: Sheffield Hospital, Northern Hospital
 2nd September.
- 71 Field visit: Sheffield Hospital, Northern Hospital
 2nd September.
- 72 Evidence from Ruth Williams, Clinical Directorate
 Lead ICare (Integrated Care Service Sandwell & West
 Birmingham).
- 73 *Right place, right time* commission meeting,
 Imperial Hospital London, 16th June.
- 74 Field visit: Sheffield Hospital, Northern Hospital
 2nd September.
- 75 A rapid evaluation of SHREWD: the Single Health
 Resilience Early Warning Database, Kent Univesity, 2013.
https://www.kent.ac.uk/chss/docs/SHREWD_Evaluation_Final_Report_Jan13.pdf
- 76 http://www.nhs.uk/media/2594828/ilg_-_improving_flow.pdf
- 77 *Right place, right time* commission site visit:
 St Helier hospital 21st July 2015.
- 78 NICE, transition from acute to community and social care
 settings for adults with social care needs, draft guideline.
 August 2015.
<http://www.nice.org.uk/guidance/indevelopment/GID-SCWAVE0712/consultation/transition-between-inpatient-hospital-settings-and-community-or-care-home-settings-for-adults-with-social-care-needs-draft-guideline-consultation>
- 79 Report on the work of the Helping People Home Team
 in supporting a reduction in the number of Delayed
 Transfers of Care (DToC), Department of Health and
 NHS England, May 2015.
- 80 Care Quality commission submission to the *Right place,
 right time* commission.
- 81 Keeping patients safe when they transfer between
 care providers – getting the medicines right, Royal
 Pharmaceutical Society, Final Report, June 2012.
<http://www.rpharms.com/current-campaigns-pdfs/rps-transfer-of-care-final-report.pdf>
- 82 East Lancashire Hospitals NHS Trust submission
 to the *Right place, right time* commission.
- 83 Death and Dying, Understanding the Data,
 Marie Curie, February 2013.
<https://www.mariecurie.org.uk/globalassets/media/documents/policy/policy-publications/february-2013/death-and-dying-understanding-the-data.pdf>
- 84 National Council of Palliative Care ‘Commissioning
 end of life care’, June 2011.
<http://www.ncpc.org.uk/sites/default/files/AandE.pdf>
- 85 Bromford St Giles submission to the *Right place,
 right time* commission.
- 86 NHS England (2015) Transforming urgent and emergency
 care services in England.
<http://www.england.nhs.uk/wp-content/uploads/2015/06/trans-uec.pdf>
- 87 Submission to *Right place, right time* commission by
 University Hospitals Southampton NHS Foundation Trust.
- 88 Submission from Norfolk and Norwich University Hospitals
 Foundation Trust to the *Right place, right time* commission.
- 89 *Right place, right time* commission field visit: Epsom
 and St Helier University Hospitals NHS Trust, 3 Sept 2015.
- 90 Submission from Foundations, the national body for home
 improvement agency and handyperson services to the
Right place, right time commission.
- 91 Lambeth and Southwark Older People’s Information
 Directory, Age UK.
<http://directory.ageuklambeth.org.uk>





NHS Providers is the membership organisation and trade association for the NHS acute, ambulance, community and mental health services that treat patients and service users in the NHS. We help those NHS foundation trusts and trusts to deliver high quality, patient focussed, care by enabling them to learn from each other, acting as their public voice and helping shape the system in which they operate.

NHS Providers has more than 90 per cent of all NHS foundation trusts and aspirant trusts in membership – who collectively account for £65 billion of annual expenditure and employ more than 928,000 staff.



One Birdcage Walk, London SW1H 9JJ
020 7304 6977
enquiries@nhsproviders.org
www.nhsproviders.org

@NHSProviders

© Foundation Trust Network 2015

NHS Providers is the operating name of the Foundation Trust Network
Registered charity 1140900
Registered in England & Wales as company 7525114

Registered Office
One Birdcage Walk, London SW1H 9JJ